

# Identification of Chordless Cycles in Ecological Networks

Nayla Sokhn<sup>1,2</sup>, Richard Baltensperger<sup>2</sup>, Louis-Félix Bersier<sup>1</sup>,  
Jean Hennebert<sup>1,2</sup>, and Ulrich Ultes-Nitsche<sup>1</sup>

<sup>1</sup> University of Fribourg, CH 1700 Fribourg, Switzerland

<sup>2</sup> University of Applied Sciences of Western Switzerland, CH 1700 Fribourg,  
Switzerland

**Abstract.** In the last few years the studies on complex networks have gained extensive research interests. Significant impacts are made by these studies on a wide range of different areas including social networks, technology networks, biological networks and others. Motivated by understanding the structure of ecological networks we introduce in this paper a new algorithm for enumerating all chordless cycles. The proposed algorithm is a recursive one based on the depth-first search.

**Keywords:** ecological networks, community structure, food webs, niche-overlap graphs, chordless cycles.

## 1 Introduction

Food webs are well known networks in ecology. They depict feeding connections between species in natural communities. They are represented as directed graphs where each vertex corresponds to a kind of organism and each directed link corresponds to a flow of energy or biomass, see Fig. 1. From this directed graph it is possible to construct a new undirected graph called the niche-overlap graph that represents the competition structure between predators. In other terms if two predators have at least one common prey they will be connected in the niche-overlap graph. According to Fig. 1  $v_1$  and  $v_2$  (predators) have  $v_6$  as a common prey therefore in the niche-overlap graph they are linked by an edge. Fig. 2 illustrates the corresponding niche-overlap graph of the food-web graph shown in Fig. 1. Let  $[v_1, v_2, \dots, v_n]$  be a sequence of  $n$  distinct vertices. By definition a cycle of length  $k > 3$  is chordless if there is only one link from a vertex  $v_i$  to  $v_{i+1}$  (for all  $i = 1, \dots, k$ ) and there is no other link between any two of these vertices. It has been suggested in [1,2,3] that real systems almost completely lack chordless cycles. This indicates that species can be arranged along a single hierarchy (e.g., body size). Previous analyses in [4,5] have shown that recent and high-quality food webs possess many chordless cycles. This implies that species can no more be ordered along a single hierarchy. Therefore identifying those cycles is important in order to better understand the structure of ecological networks.

The literature contains several algorithms able to find cycles and elementary cycles<sup>1</sup> in graphs. Some of them are based on vector search space and others on

<sup>1</sup> In this type of cycles, vertices are not allowed to be repeated.

backtracking algorithm [7,8,9,10,11,12]. On the other hand only few were seeking the enumeration of all chordless cycles [13,14,15,16]. In [13], Spinrad presents an algorithm that determines whether an undirected graph has chordless cycles of size at least  $K$  in  $\mathcal{O}(n^{K-3} \cdot M)$ , where  $n$  is the number of vertices and  $M$  is the time required to multiply two  $n$  by  $n$  matrices. In [14], an algorithm that detects one chordless cycle in undirected graphs is described. In [16], an algorithm which enumerates all chordless cycles in directed graphs is introduced. It is based on the use of the asymmetry therefore applying it directly to undirected graphs is worthless. In this paper, we propose an algorithm for enumerating all chordless cycles in undirected graphs. The algorithm is a combination of proper steps found in [12,14,16].

The rest of the paper is organized as follows. Section 2 introduces some fundamentals about graphs that are important for the rest of this paper. Section 3 describes the algorithm and illustrates its flowchart. Section 4 presents the results. Section 5 concludes and exhibits some future work.




Fig. 1. A food web graph




Fig. 2. A niche-overlap graph

## 2 Fundamentals about Graphs

A graph  $G$  consists of two finite sets: a set  $V(G)$  of **vertices** and a set  $E(G)$  of **edges** where each edge is associated with a set consisting of two vertices called its endpoints. The order (number of vertices) and the size (number of edges) of the graph are denoted by  $n$  and  $m$  respectively. A graph is **undirected** if the edges have no orientation and it is **directed** if they have orientation. By definition a **walk** is a finite alternating sequence of adjacent vertices and edges. It has the form  $v_0e_1v_1e_2...v_{k-1}e_kv_k$  where the  $v$ 's represent vertices, the  $e$ 's represent edges. A **path** is a walk of the form  $v = v_0e_1v_1e_2...v_{k-1}e_kv_k$  where all the  $e_i$  are distinct [17]. A path  $v_0e_1v_1e_2...v_{k-1}$  is **chordless** if  $v_iv_j \notin E(G)$  for any two non-adjacent vertices  $v_i, v_j$  in the path [14]. A **cycle** (a closed path)  $[v_0, v_1, \dots, v_k]$  is **chordless** if no edge  $v_iv_j$  exists in  $E(G)$  such that  $|i - j| \neq 1 \pmod k$  [14]. Fig. 3 and Fig. 4 illustrates a chordless cycle of order 4 and a non-chordless one of order 4 respectively.

A graph  $G$  can be represented by an **adjacency matrix** or **adjacency lists**. The adjacency matrix of order  $n$  is a  $n \times n$  binary matrix  $A$  with entries given by

$$a_{ij} = \begin{cases} 0, & \text{if } v_i v_j \notin E(G), \\ 1, & \text{if } v_i v_j \in E(G). \end{cases}$$

It is filled with a 1 in position  $(v_i, v_j)$  if  $v_i$  and  $v_j$  are adjacent and with a 0 otherwise. An adjacency list for a vertex  $v_i$  is a list containing all vertices adjacent to  $v_i$ . These vertices are named **neighborhood** and denoted by  $N(v_i)$ . In this paper, we treat undirected graphs with no loops (an edge with just one endpoint) and no multiple edges (two or more edges connecting the same two vertices).




Fig. 3. A chordless cycle




Fig. 4. A non-chordless cycle

### 3 Algorithm Description

The general principal of the algorithm is to create for each vertex expanding paths (using the depth-first search strategy) that respect the conditions of a chordless path and a chordless cycle. To limit the search space, several optimizations are proposed. The process of the algorithm is described below and its flowchart is illustrated in Fig. 5.

1. Create the adjacency matrix and the adjacency lists for the given graph. Label the vertices from 1 to  $n$   $[v_1, v_2, \dots, v_n]$ .
2. Select the first vertex  $v_{start}$  (until all  $[v_1, v_2, \dots, v_n]$  are handled) and add it to the path  $P$  initially empty. Now  $P$  contains  $v_{start}$ .
3. Select the first adjacent vertex  $v_j$  (if it exists) of the last vertex  $v_{end}$  in the path  $P$ . Two conditions are imposed on  $v_j$ , it should not exist in the given path  $P$  and it must be bigger than  $v_{start}$ . If  $v_j$  does not exist, delete the last vertex of  $P$  and go back to this step. When all the adjacent vertices  $v_j$  of  $v_{start}$  are handled, go to step 2 and select a new vertex  $v_{start+1}$ .
4. If the size of  $P$  (denoted by  $|P|$ ) = 2, go to step 3.
5. If  $|P|$  = 3, check if  $v_{end}$  and  $v_{start}$  are connected. If they are not connected, go to step 3 to potentially expand the path looking for chordless cycles. If they are connected, a complete cycle  $K_3$  is detected, therefore delete the last

vertex in  $P$  and go to step 3 to look for other potential paths leading to chordless cycles.

6. If  $|P| > 3$ , check if any two non-adjacent vertices are connected ignoring  $v_{start}$  (the first vertex in  $P$ ). If any, delete the last vertex of  $P$  and go to step 3. On the contrary, see if there is an edge between  $v_{end}$  and  $v_{start}$ . If it exists, a chordless cycle of order  $|P|$  is then detected, therefore delete the last vertex in  $P$  and go to step 3. Otherwise go to step 3.
7. When the list  $[v_1, v_2, \dots, v_n]$  is handled, the algorithm is finished and all the chordless cycles are found.

### 3.1 Clarification of Some Steps in the Algorithm

In step 1, it is important to create the adjacency matrix because it is then possible to detect the presence or absence of a specific edge in constant time. The use of the adjacency lists is important too since the selection of an adjacent vertex occurs in constant time. In step 3, the first condition ( $v_j$  should not be in the path) avoids to have a path where vertices are repeated. The verification if a vertex is already in the path is performed in the following way : a vector of size  $n$  is initialized as 'False'. Each time an adjacent vertex  $v_j$  is added to the path, the status of this vertex is changed to 'True'. Accordingly  $v_j$  is added to a path only if its status is set to 'False'. The second condition ( $v_j > v_{start}$ ) presents two important advantages described hereafter :

The first one is the possibility of running concurrently the algorithm. In others terms, detecting chordless cycles may be performed in parallel for different vertices. The way of dividing the vertices is important to balance the computation load. To simplify the task, we consider two identical computers. Running the first set  $[v_1, v_2, \dots, v_k]$  ( $k = \frac{n}{2}$ ,  $k \in \mathbb{N}$ ) on the first one and the second set  $[v_{k+1}, \dots, v_n]$  on the other one will lead to unbalanced loads since most of the chordless cycles appears in the first part of the set due to the following condition: adjacent vertices  $v_j > v_{start}$ . Nevertheless creating two sets by interlacing the vertices is a more suitable solution. In this case, the first set starts with vertex  $v_1$  (odd numbers are selected)  $[v_1, v_3, v_5, \dots, v_n]$  and the second set starts with vertex  $v_2$  (even numbers are selected)  $[v_2, v_4, v_6, \dots, v_{n-1}]$ . In that way, vertices that contain most of the chordless cycles are separated. Results confirming this useful separation are presented in section 4.

The second advantage is that duplicates chordless cycles are avoided. Suppose we found the chordless cycle  $[v_1, v_2, v_3, v_4]$ . Removing this condition on the adjacent vertex  $v_j$  will provide same chordless cycles ( $[v_2, v_3, v_4, v_1]$ ,  $[v_3, v_4, v_1, v_2]$ ,  $[v_4, v_1, v_2, v_3]$ ). However in this algorithm each chordless cycle is found twice. By symmetry  $[v_1, v_4, v_3, v_2]$  is another copy of  $[v_1, v_2, v_3, v_4]$ . In order to keep only one cycle a condition is imposed : the second element of the cycle ( $v_2$ ) should be always smaller than the last one ( $v_{end}$ ).  $v_2 > v_{end}$  implies that the cycle is a symmetry of a previous detected one. In step 5, the size of the current path is 3. Checking if  $v_{start}$  and  $v_{end}$  are connected is required. If no edge exists there

is then the guarantee that the path is chordless. But if an edge exists between  $v_{start}$  and  $v_{end}$ , a complete cycle  $K_3$  is then detected. Therefore proceeding with the current path and choosing an adjacent vertex  $v_j$  is useless since the new path is no more a chordless one. For that reason we delete the last vertex in the path. In step 6, the size of  $P$  ( $|P|$ ) is bigger than 3. Verifying whether all non-adjacent vertices are not connected ensures that the enumerated path is chordless. Accordingly whenever  $v_{start}$  and  $v_{end}$  are connected the cycle is then a chordless one.

Studying the structure of the graph before applying this algorithm could also lead to optimization in terms of running time computation. For example if the graphs can be separated in several biconnected components, the algorithm could be applied separately on each one for a faster detection of chordless cycles.

### 3.2 Space and Time Complexity

The proposed algorithm explores the graph using the depth-first search strategy with an additional condition : the selected path must be chordless. The space complexity required by this algorithm is determined by the storage of set  $V$  of vertices  $\mathcal{O}(n)$ , the current path  $P$   $\mathcal{O}(k)$  where  $k$  is the length of the current path, the adjacency lists  $\mathcal{O}(n+m)$  and the adjacency matrix  $\mathcal{O}(n^2)$ . Consequently the algorithm requires  $\mathcal{O}(n^2)$  space.

Estimating the time complexity is more difficult. In the current stage of our studies, we believe that only an empirical estimation of the complexity is possible. There is indeed a relation between the number and the length of chordless paths that exist in the graph and the running time of the algorithm. In fact, adding adjacent vertices to the current path  $P$  is performed as long as the path is chordless. The more a graph has chordless paths the longer the running time will be. The complexity is then increasing with the length and number of chordless paths which is actually not known in advance. A worst case estimation of the complexity could potentially be expressed but is not treated in this paper.

## 4 Results

The running time  $T$  (in seconds) for the niche-overlap graphs is given in Table 1. The implementation is executed using C++ (Microsoft Visual Studio 2010) on a 2.93 GHz processors and a 4 GB memory running on windows 7. In table 2 the number and the order of chordless cycles are shown. Note that  $C_k$  (for  $k = \{4, 5, \dots, 8\}$ ) represents a chordless cycle of order  $k$ .

As it was mentioned in section 3 the way of dividing the vertices for concurrent computation is important. To confirm this we choose two matrices : “LRL South Summer“ and “Floridabay“. We apply two different separations for “LRL South Summer“. The first one is simply splitting the vertex set in two equal parts  $[v_1, v_2, v_3, \dots, v_{59}]$  (the first half) and  $[v_{60}, v_{61}, v_{62}, \dots, v_{119}]$  (the second half). This separation is not useful because even though the duration to detect some of the chordless cycles is **10 seconds** for the second set, it takes **7226 seconds** (see




Fig. 5. Flowchart of the algorithm

**Table 1.** Execution time for detecting all chordless cycles  $C$ 

Name	# of vertices	# of edges	Chordless cycles $C$	Time $T$
Volcan dry	19	170	0	0
Quebrada wet	19	137	0	0
Coachella	27	297	42	0
Chesapeake	27	95	0	0
HBBL	27	306	0	0
SkipWithPond	34	318	0	0
Saint Martin	38	312	356	2
Aguafría dry	45	904	180	2
Cypwet	53	854	130	6
Macara dry	55	1346	249	2
Everglades	58	1214	710	7
Ythan	84	1306	391	8
Mangrovedry	86	2315	29178	359
LRL South Winter	83	1418	224	23
LRL North Spring 1	105	2594	18032	1070
Floridabay	107	3249	85976	4569
LRL North Spring 2	111	2520	25824	2297
LRL North Fall	116	3095	32695	1850
LRL South Summer	119	2420	48921	7409
LRL North Summer	121	3064	16904	3700

**Table 2.** Order and number of  $C$  detected for each niche-overlap graph

Name	$C_4$	$C_5$	$C_6$	$C_7$	$C_8$
Volcan dry	0	0	0	0	0
Quebrada wet	0	0	0	0	0
Coachella	42	0	0	0	0
Chesapeake	0	0	0	0	0
HBBL	1768	0	0	0	0
SkipWithPond	0	0	0	0	0
Saint Martin	230	91	29	6	0
Aguafría dry	126	54	0	0	0
Cypwet	130	0	0	0	0
Macara dry	184	65	0	0	0
Everglades	568	130	12	0	0
Ythan	213	156	10	12	0
Mangrovedry	7329	8506	8259	4448	636
LRL South Winter	224	0	0	0	0
LRL North Spring 1	5168	10944	1920	0	0
Floridabay	5769	15825	35824	21158	7400
LRL North Spring 2	5664	13120	7040	0	0
LRL North Fall	8970	23725	0	0	0
LRL South Summer	3689	8788	23340	13104	0
LRL North Summer	6956	9948	0	0	0

**Table 3.** Experimental results on “LRL South Summer“ and “Floridabay“

LRL South Summer	First set	Second set	First set	Second set
Vertices	$[v_1, v_2, \dots, v_{59}]$	$[v_{60}, v_{61}, \dots, v_{119}]$	$[v_1, v_3, v_5, \dots, v_{119}]$	$[v_2, v_4, v_6, v_8, \dots, v_{118}]$
Number of $C$	48903	18	22580	26341
Time in seconds	7226	10	3594	3960
Floridabay	First set	Second set	First set	Second set
Vertices	$[v_1, v_2, \dots, v_{53}]$	$[v_{54}, v_{55}, \dots, v_{107}]$	$[v_1, v_3, v_5, \dots, v_{107}]$	$[v_2, v_4, v_6, \dots, v_{106}]$
Number of $C$	85247	729	51437	34539
Time in seconds	4557	12	2459	2247

Table 3) for the first set. Note that **7226 seconds** is close to the total running time (**7409 seconds**) see Table 1.

This observed result is actually the consequence of the condition “ adjacent vertices  $v_j > v_{start}$  “ explained in section 3.1

The second one is the even/odd version :  $[v_2, v_4, v_6, \dots, v_{118}]$  and  $[v_1, v_3, v_5, \dots, v_{119}]$ . This separation leads to more balanced loads and takes respectively **3594 seconds** and **3960 seconds** to find all the chordless cycles, see Table 3 . Time is reduced by **3449 seconds** ( $7409 - 3960$ ) which is more or less half of the total running time (**7409 seconds**).

Similarly results are observed the even/odd division for “Floridabay“. It takes **2459 seconds** for the first set and **2247 seconds** for the second one, (see Table 3). In that case too, time is reduced by almost half (**2110 seconds**). Note that a splitting the vertices in more than two sets will parallelize further the computation for larger graphs.

## 5 Conclusion

In this paper, we presented an algorithm for enumerating all chordless cycles in a given undirected graph. We also experimented the algorithm on real niche-overlap graphs used in ecological studies, meaning the number of detected chordless cycles and the corresponding execution time. The algorithm is based on several optimizations a depth-first search strategy including constraints of chordless path and chordless cycles. One important advantage of the algorithm is the possibility to run the search concurrently on different nodes with a fair balancing of sets. It is also possible to change in a simple way the algorithm to find particular chordless cycles, for example of specific length.

In future work, we will apply this algorithm on quantitative niche-overlap graphs (including information on the weights of interactions) and we will analyze the distribution of the weighted chordless cycles. Moreover we will try to clarify the reasons why some ecological networks have many chordless cycles and others do not.

**Acknowledgment.** The authors would like to acknowledge R. Bisdorff who provided some initial ideas that contributed to this work.



## References

1. Cohen, J.: Food Webs and Niche Space. Princeton University Press, Princeton (1978)
2. Sugihara, G.: Niche Hierarchy: Structure Assembly and Organization in Natural Communities. PhD thesis, Princeton University, Princeton (1982)
3. Cohen, J., Briand, F., Newman, C.: Community Food Webs, Data and Theory. Springer (1990)
4. Bersier, L.F., Baltensperger, R., Gabriel, J.P.: Why are cordless cycles so common in niche overlap graphs? In: Ecological Society of America, Annual Meeting, p. 76 (2002)
5. Huxham, M., Beane, S., Raffaelli, D.: Do parasites reduce the changes of triangulation in a real food web? *Oikos* 76, 284–300 (1996)
6. Golubic, M.: Algorithmic graph theory and perfect graphs, 2nd edn. Elsevier (2004)
7. Mateti, P., Deo, N.: On algorithms for enumerating all circuits of a graph. *SIAM J. Comput.* 5, 90–99 (1976)
8. Tiernan, J.: An efficient search algorithm to find the elementary circuits of a graph. *Communications of the ACM* 13, 722–726 (1970)
9. Tarjan, R.: Enumeration of the elementary circuits of a directed graph. *SIAM J. Comput.* 2, 211–216 (1973)
10. Liu, H., Wang, J.: A new way to enumerate cycles in graph. In: AICT/ICIW, pp. 57–59 (2006)
11. Sankar, K., Sarad, A.: A time and memory efficient way to enumerate cycles in a graph. In: ICIAS, pp. 498–500 (2007)
12. Johnson, D.: Find all the elementary circuits of a directed graph. *SIAM J. Comput.* 4, 77–84 (1977)
13. Spinrad, J.: Finding large holes. *Inform. Process. Lett.* 39, 227–229 (1991)
14. Nikolopoulos, S., Palios, L.: Hole and antihole detection in graphs. In: Proc. 15th ACM-SIAM Sympos. Discrete Algorithms, pp. 843–852 (2004)
15. Hayward, R.: Weakly triangulated graphs. *J. Combinatorial Theory Series B* 39, 200–208 (1985)
16. Bisdorff, R.: On enumerating chordless circuits in directed graphs, <http://charles-sanders-peirce.uni.lu/bisdorff/documents/chordlessCircuits.pdf>
17. Epp, S.: Discrete mathematics with applications, 2nd edn. Brooks/Cole Publishing Company (1995)