

Elastic Ring Search for Ad Hoc Networks

Simon Shamoun¹(✉), David Sarne¹, and Steven Goldfeder²

¹ Bar Ilan University, Ramat Gan, Israel
srshamoun@yahoo.com

² Princeton University, Princeton, USA

Abstract. In highly dynamic mobile ad hoc networks, new paths between nodes can become available in a short amount of time. We show how to leverage this property in order to efficiently search for paths between nodes using a technique we call elastic ring search, modeled after the popular expanding ring search. In both techniques, a node searches up to a certain number of hops, waits long enough to know if a path was found, and searches again if no path was found. In elastic ring search, the delays between search attempts are long enough for shorter paths to become available, and therefore the optimal sequence of search extents may increase and even decrease. In this paper, we provide a framework to model this network behavior, define two heuristics for optimizing elastic ring search sequences, and show that elastic ring search can incur significantly lower search costs than expanding ring search.

Keywords: MANET · Expanding ring search · Optimization

1 Introduction

An important function in ad hoc networks is the search for nodes, services, and resources by forwarding requests from node to node. Using this function, nodes can search for resources as the need and availability arises. The alternative, maintaining tables of all available resources, requires a significant amount of overhead and may not even be possible given the dynamic changes that characterize ad hoc networks. This is especially the case in mobile ad hoc networks due to node movement and wireless connections.

Search functions feature most prominently in on demand routing protocols, in which routes are established as needed [14]. Most on demand routing protocols use broadcast flooding to establish routes, either a priori or when other search attempts fail. In broadcast flooding, the search node broadcasts its query, which is then rebroadcast by all nodes that receive the query from the source node or any other node that subsequently broadcasts the query. The obvious drawback of broadcast flooding is that all nodes that receive the query are required to receive, process, and rebroadcast the query. This has a measurable cost to the network, such as power and bandwidth consumption.

One way to ameliorate search costs is by using an expanding ring search [4, 6, 8]. In expanding ring search (ERS), the search node assigns the query a time-to-live (TTL) value, which limits the number of hops the query traverses along

any path from the source, and consequently the cost of flooding. If, however, the number of hops to the target is greater than the TTL value, the search node must repeat the query with a larger TTL value, and repeatedly do so until the target is found. Only enough time is inserted between queries to ensure that no path was found. Although the total cost of this technique may sometimes be greater than the cost of full flooding, the expected cost is less when the sequence of TTL values is chosen correctly.

The optimal TTL sequence, the one that minimizes the expected cost of an expanding ring search, depends on the probability distribution of the number of hops to the target node. The searcher initially assumes that the distribution reflects some steady-state property of the network. With each query, the searcher updates its assumptions about the hop count probability distribution. Because the time between queries is very short, it is unlikely that new paths will become available at any time during the search, so the searcher assumes that only longer paths are available. Hence it uses *expanding* rings. However, if more time is inserted between queries, then there is a possibility that new paths, possibly shorter than the last TTL value used, will become available. In such a case, when a long time is inserted between queries, the searcher would update its assumptions about the hop count distribution differently. With enough time, these assumptions would return to the steady-state distribution.

In this paper, we introduce a search technique called Elastic Ring Search (ELRS) that leverages changes in the network topology to keep search costs low. ELRS is similar to ERS in that queries are assigned TTL values, but it differs in that enough time is sometimes inserted between queries to allow the probability distribution assumptions to return partially or completely to the steady-state. As such, it may be optimal to search up to increasing *and* decreasing ranges; hence, the rings are *elastic*. We specifically consider the following type of search: At equally spaced time intervals, the searcher issues a query with any TTL value or no query at all until the target is found or the search is terminated. ELRS can be succinctly described as a time-diffused TTL-based search with increasing and decreasing search rings. This is useful when the searcher does not need to immediately establish a connection with the target node, like when transferring files and data. To optimize its performance, one additional network property is needed—the rate at which the hop count probability distribution is assumed to return to the steady-state.

Our main contributions are the design of elastic ring search, the study of the aforementioned network properties, and the design of cost-efficient elastic ring search sequences. We specifically suggest a model for capturing the changes in the hop count probability distribution that is easily verified in simulations and simplifies the derivation of elastic ring search strategies. Our simulation results show that the average costs closely match the expected costs based on the model and analysis, implying that elastic ring search is practically beneficial. The outline of the remainder of the paper is as follows: We discuss related work in Sect. 2. We formally model the problem in Sect. 3, and analyze the problem and provide two heuristics to solve it in Sect. 4. In Sect. 5, we statistically analyze the steady-state properties, and we evaluate the cost of the two heuristics described in Sect. 4. Finally, we summarize our results in Sect. 6.

2 Related Work

Expanding ring search has been extensively analyzed in the literature [1, 4–8]. Most analysis assumes that all nodes are distributed uniformly at random throughout the field [6–8]. The corresponding hop count probability and cost-per-hop for each TTL value are used to calculate the expected costs of various TTL sequences. Chang and Liu [4] show how to derive the optimal TTL sequence for an arbitrary cost function and hop count distribution when they are known *a priori*. They prove that the optimal randomized strategy when the probability distribution is not known has a tight worst-case approximation factor of e , and that this is the best approximation factor possible by any solution. Baryshnikov et al. [1], prove that the optimal deterministic strategy in this case is to double the TTL value each round and that it has a tight worst-case approximation factor of 4.

Blocking Expanding Ring Search (BERS) and its variations [11–13] are designed to reduce redundant transmissions of route requests incurred by expanding ring search. The searcher sends a route request only once, and sends a cancel message when it receives a route reply. Each node waits long enough to receive a cancel message before forwarding the request. Although BERS eliminates redundant transmissions, it does not necessarily incur lower expected costs than ERS because of the cancellation flood.

Hop count distributions and other steady-state properties of MANETS have been extensively studied. Yoon et al. [15] study the steady-state properties of the random waypoint mobility model. Bettstetter et al. [2, 3] study the spatial node distribution under the random waypoint and random walk mobility models. Mukerjee and Avidor [10] analyze the hop count distribution when nodes are distributed uniformly at random, and Younes and Thomas [16] analyze the hop count distribution under the random waypoint model. However, none of these studies consider how these distributions change with new information, as we do in this paper.

3 Problem Model

In this section, we formally model the problem and define the probability model we use in this paper. Throughout the paper, we refer to the node conducting the search as the searcher or the source and the node being searched for as the target or destination. In the model and the analysis, we assume that all nodes in the network are connected.

Let $R = \{x_0 = 0, \dots, x_m = x_{max}\}$, $x_i < x_{i+1} \forall i$, be the set of m TTL values from which the searcher can choose. x_{max} is the TTL value required to reach all nodes in the network. Let $f(x)$ be the steady-state probability mass function (PMF) that characterizes the distance to the target, and $F(x)$ be the associated cumulative distribution function (CDF). The cost of flooding up to range x is denoted $C(x)$, which is typically a function of the number forwarding nodes. The analysis will sometimes refer to the normalized cost function $C'(x)$, which is defined as $C'(x) = C(x)/C(x_{max})$. The standard assumption in the literature is that these functions are known in advance [4, 6–8].

A search strategy S is a sequence of n search ranges $[u_1, \dots, u_n]$ chosen from the set R . The search is conducted in rounds, querying up to u_i in round i whenever $u_i > 0$ until the target is found. A non-decreasing strategy is a specific type of strategy in which the non-zero search ranges are non-decreasing. Formally stated, a search strategy $S = [u_1, \dots]$ is non-decreasing if $\forall_i (u_i = 0 \vee \forall_{j < i} u_j \leq u_i)$. The time between consecutive rounds is fixed and long enough to send a packet to the furthest node and back [4, 9], and even longer to allow the topology to change.

The probability that the distance to the target is x at the beginning of round i , before issuing a query up to u_i , depends on the search ranges used in the previous rounds. This is denoted $f(x|u_1, \dots, u_{i-1})$. Likewise, the cumulative probability is denoted $F(x|u_1, \dots, u_{i-1})$. The expected cost $J(S)$ of applying the search strategy $S = [u_1, \dots, u_n]$ is therefore calculated as follows:

$$J(S) = C(u_1) + \sum_{i=2}^n \left(\prod_{j=1}^{i-1} (1 - F(u_j|u_1, \dots, u_{j-1})) \right) C(u_i) \quad (1)$$

The conditional probability function $f(x|u_1, \dots, u_{i-1})$ is potentially different for every combination of values u_1, \dots, u_{i-1} , since each failure to find the target reveals new information about its location. It is infeasible to define a separate function for each combination of values, since there is an exponential number of combinations. Instead, we define a generic model for the conditional probability. Not only does this make calculating the conditional probability feasible, it also makes it possible to derive efficient solutions. Because only non-decreasing strategies are addressed in this paper, we only describe how to calculate the conditional probability t time steps after the last non-zero search range r_1 was used.




Fig. 1. Changes in probability as elastic ring search progresses. The solid lines represent the beliefs at the time indicated by the caption, and the dashed lines indicate the steady-state distribution.

We begin with the following observation: In the instant after a search up to r_1 fails to find the target, the probability that the distance to the target, x , is less than or equal to x' is 0. Without any knowledge about the conditional probability for all remaining points, we assume that the probability that the distance to the target is $x > r_1$ is $\frac{1}{1-F(r_1)}f(x)$ (Fig. 1(b)). Let $g(x, r_1, t)$ be the

probability that the distance to the target is $x \leq r_1$ t rounds after a search to r_1 fails to find the target, and let $G(x, r_1, t)$ be the cumulative function of $g(x, r_1, t)$. We will assume that $g(x, r_1, t)$ monotonically increases with t and that its value never exceeds $f(r_1)$. We also assume that the probability for all ranges $x \leq r_1$ is $g(x, r_1, t)$, regardless of any searches conducted in previous rounds. That is, knowledge of the probability for all distances $x \leq r_1$ is “reset” with a search to r_1 . For all points $x > r_1$, we want to multiply $f(x)$ by some constant C such that $G(r_1, r_1, t) + C(1 - F(r_1)) = 1$, which gives us $C = \frac{1-G(r_1, r_1, t)}{1-F(r_1)}$ (Fig. 1(c)). We therefore have:

$$f(x|r_1, \underbrace{0, \dots, 0}_{t-1}) = \begin{cases} g(x, r_1, t) & x \leq r_1 \\ \frac{1-G(r_1, r_1, t)}{1-F(r_1)} f(x) & x > r_1 \end{cases} \quad (2)$$

4 Analysis

Based on the how the distribution changes and the flooding costs, our goal is to find a sequence that minimizes (1), the expected cost of searching with an elastic ring search. We begin by establishing a necessary condition for a multi-round search to have a lower expected cost than full flooding. We then describe solutions for the best-case and worst-case scenarios, and finally provide two heuristics for the general case.

Theorem 1 establishes the intuitive notion that a search up to range x reduces the total cost only if the probability of success exceeds $C'(x)$. This extends a similar result in expanding ring search (Theorem 1 in [4]).

Theorem 1. *Given a search sequence $S = [u_1, \dots, u_n]$ and any round $i < n$, let K_1 be the expected normalized cost of searching with u_{i+1}, \dots, u_n from round $i + 1$ onwards if the sequence u_1, \dots, u_i was used in the first i rounds, and K_2 be the expected normalized cost if $u_1, \dots, u_{i-1}, 0$ was used instead. Then $C'(u_i) + (1 - F(u_i|u_1, \dots, u_{i-1}))K_1 < K_2$ implies $C'(u_i) < F(u_i)$.*

Proof. $K_1 \geq K_2$, since the probability of a successful search in round $i + 1$ is no more than the probability of success if no search was conducted in round i . Assume that $C'(u_i) + (1 - F(u_i|u_1, \dots, u_{i-1}))K_1 < K_2$ and $C'(u_i) \geq F(u_i)$. Then $C'(u_i) + (1 - F(u_i|u_1, \dots, u_{i-1}))K_1 \geq F(u_i) + K_1 - F(u_i)K_1 = (1 - K_1)F(u_i) + K_1 > K_1 \geq K_2$, contradicting the assumption.

The following corollary establishes a necessary condition for a multi-round search to improve search costs.

Corollary 1. *If $C'(x) \geq F(x)$ for all x , then the optimal strategy is to flood the entire network in the first round.*

Ideally, the searcher can assume that $f(x_i|u_1, \dots, u_{j-1}) = f(x_i)$, for all i , meaning that the probability of finding a node up to range x_i is unconditional. The next result establishes that the optimal strategy in this case when there is no time constraint on the search is an infinite sequence.

Theorem 2. *If the probability distribution is the same each round (i.e., $f(x|u_1, \dots, u_i) = f(x), \forall i$) and there is no constraint on the number of rounds, then the infinite sequence $[x, x, \dots]$, for some x , is an optimal strategy.*

Proof. Let $V(S)$ be the expected cost of applying strategy S . Assume that the optimal strategy of least length is the finite sequence $S_1 = [u_1, \dots, u_n]$. Let $S'_1 = [u_2, \dots, u_n]$. By definition, $V(S_1) < V(S'_1)$. If the target is not found in round one, then the optimal strategy from round two onwards is $S_2 = [u_2, \dots, u_n]$. Let $V'(S)$ be the cost of applying some strategy S after a search with u_1 failed to find the target in the first round. Let $S'_2 = [u_1, \dots, u_n]$, such that $V'(S_2) \leq V'(S'_2)$. Since the probability distribution does not change, then the expected cost of applying any strategy in round two is unaffected by the search range used in round one. Therefore, $V(S_1) < V(S'_1) = V'(S_2) \leq V'(S'_2) = V(S_1)$, contradicting the assumption that S_1 is the optimal strategy. Rather, the optimal strategy is an infinite sequence S_{opt} . Since the searcher is faced with the same decision each round, the searcher can always choose the same search range.

According to this theorem, an optimal strategy under immediate convergence with no time constraints is to use the value of x each round that minimizes $\sum_{i=0}^{\infty} (1 - F(x))^i C(x) = \frac{C(x)}{F(x)}$ until the target is found. When the search is limited to n rounds, the optimal strategy can be derived by solving the following recursive formula for the optimal expected cost $V(n)$ of an n round strategy using backward induction on $1 \leq i \leq n$:

$$V(n) = C(x_{max}) \quad V(i) = \min_{1 \leq j \leq m} \{C(x_j) + (1 - F(x_j))V(i + 1)\} \quad (3)$$

The worst-case scenario is when there is no return to the steady-state, such as when the network is static. This is precisely the condition when expanding ring search is optimal. The optimal TTL sequence for expanding ring search can be derived in polynomial time by solving the following dynamic programming equations [4]:

$$V(x_m) = 0 \quad V(x_i) = \min_{i+1 \leq j \leq m} \{C(x_j) + (1 - F(x_j|x_i))V(x_j)\} \quad (4)$$

Here, $V(x_i)$ is the minimum expected cost-to-go, which is the cost of continuing the search, when a search using x_i fails to find the target. The first condition reflects the fact the search ends when searching up to x_m . The second condition reflects the fact that failing to find the target using x_i requires continuing the search with some TTL value $x_{j>i}$ that is larger than x_i . The cost-to-go in this case includes the cost $C(x_j)$ of searching up to x_j , plus the expected cost if the target is beyond x_j . This second value is the cost-to-go after searching with x_j multiplied by the probability $(1 - F(x_j|x_i))$ that the target is not within range x_j when it is already known that it is not within range x_i . The value of x_j that minimizes the cost-to-go for x_i is the one that is used to continue the search. $V(x_i)$ can be solved for backwards, for all $0 \leq i < m$. $V(x_0)$ reflects the expected cost of the optimal strategy. By recording the x_j chosen for each x_i , the optimal strategy can be extracted by following these links forwards from x_0 .

It is not feasible to derive a similar solution for the general case because the cost-to-go at any round i depends on the entire subsequence $u_1 \dots u_{i-1}$, which has an exponential number of combinations. Instead, we define two heuristics that use nondecreasing rings. The first heuristic is based on the optimal strategy for optimal conditions. The idea is to use the same TTL value at regular intervals until the last search round, at which time the entire network is flooded.

Heuristic 1. Choose the values of x and i , over all values of $x \in R$ and $i < n$, for which the strategy that uses x every i rounds has minimal cost.

Heuristic 1 takes advantage of node movement by not increasing the search extent, but does not guarantee a lower expected cost than expanding ring search. The second heuristic, the optimal nondecreasing ring search, is guaranteed to have an expected cost no greater than that of ERS. While this is still not necessarily the optimal elastic ring search, it can be solved for in $O(n^2m^2)$ time and $O(nm)$ space using a dynamic programming formulation modeled after the formulation for expanding ring search.

Heuristic 2. Derive the optimal nondecreasing ring search with the following dynamic programming formulation, where $1 \leq \{j, k\} \leq m - 1$, $0 \leq i \leq n$, and $0 \leq s < n$.

$$\begin{aligned}
 V(n, j) &= \infty & ; & & V(i, m) &= 0 \\
 V(s, k) &= \min_{\substack{s < t \leq n \\ k \leq l \leq m}} \left\{ C(x_l) + (1 - F(x_l|x_k, \underbrace{0, \dots, 0}_{t-s-1}))V(t, l) \right\} & (5)
 \end{aligned}$$

In this formulation, $V(s, k)$ is the minimum expected cost-to-go when search range x_k is applied in round s , which is the expected remaining costs after round s . The cost of the optimal strategy is defined by $V(0, 0)$. In the derived strategy, the probability of success using search range x_l in round t is affected by the use of x_k in round s and only by x_k , as indicated by the expression $F(x_l|x_k, \underbrace{0, \dots, 0}_{t-s-1})$.

5 Evaluation

We set the cost function $C(x)$ to the number of nodes that would transmit a route request in a query up to range x in evaluating the two elastic ring search heuristics. For this purpose, it is only necessary to know the connectivity graph in each round of the search procedure. We used Java to simulate node movement, construct the connectivity graph at regular time steps, and construct the breadth-first search (BFS) tree of the connectivity graphs. The BFS tree is used to determine the cost-per-hop of a route request and the hop count to the destination. For each TTL value less than or equal to the depth of the tree, the cost-per-hop is the number of nodes at all depths up to but not including that TTL value. This is because the last nodes to receive the query do not retransmit it. For any TTL value larger than the depth of the tree, the cost-per-hop is

the number of nodes in the tree. Note that this is not necessarily equal to all nodes in the network, since in practice, not all nodes are necessarily connected to the source. The hop count to the destination is its depth in the BFS tree. Throughout the discussion, we refer to the time steps as rounds. In an elastic ring search, each consecutive search round is conducted in consecutive rounds of movement. In an expanding ring search, all search rounds are conducted in the same movement round.

We simulated movement according to two settings, which we refer to as Scenario 1 and Scenario 2. In both settings, there are 250 nodes; the transmission range of each node is 100 m; the field size is 1200×1200 m; the source and destination are stationary throughout the simulation; and all other nodes move according to the random waypoint model with speeds randomly selected from the range 5 m/s to 8 m/s and a 2 s pause time between waypoints. The only differences between the settings are the (x, y) coordinates of the source and destination: In Scenario 1, their coordinates are (200, 600) and (200, 460), respectively, and in Scenario 2, their locations are (200, 600) and (200, 340), respectively. The time steps were set to 100 ms. The simulations ran for a total of 50 s (500 rounds).

Next we show how we determined the steady-state properties, and then we provide the results of our evaluation.

5.1 Steady-State Properties

The steady-state properties of the random waypoint model have been well studied [2, 15], including the steady-state spatial node distribution [3] and hop count distribution [16]. Studies show that the nodes are concentrated in the center of the field in the steady-state node distribution, so the system is not immediately in the steady-state when nodes are initially assigned uniformly random locations. Our goal, therefore, is to establish when there is a steady-state to the hop count distribution and to derive the conditional probability distribution.

To demonstrate the existence of a steady-state, we used two statistical tests: the Kolmogorov-Smirnov test and the Wilcoxon Rank-sum test. Both are non-parametric tests, meaning they make no assumptions about the distribution of the data. They are used to test the null hypothesis that two sets of samples come from the identical distribution. That is, the data that we enter are samples drawn from larger distributions, and we are trying to determine whether the generating distributions are identical. The tests return a p-value, which is a number between 0 and 1 that answers the following question: if our null hypothesis was correct and these distributions are identical, what is the probability that we would draw samples that differ this greatly? Thus, a low p-value means that it would be very unlikely to obtain these two samples from one distribution. A high p-value is consistent with the assertion that the samples were drawn from identical distributions. A high p-value is not a proof that the distributions are identical, but rather it tells us that we cannot reject the null hypothesis that they are identical. A sufficiently low p-value, on the other hand, would serve as a basis for rejecting the null-hypothesis and concluding with relative certainty that the samples were not drawn from identical distributions.

We use these tests to show the progression of the p-values when comparing the distribution from each round to the steady-state distribution. We took the hop counts from rounds 3900–4000 over 1000 different simulations as representatives of the steady-state. We compared the samples at rounds 10, 20, ... from 500 simulations (unique to each round) to the steady-state using the two tests and checked if and by what round they attain and sustain consistently high p-values. Our results showed that after round 1000, the p-values are mostly over 0.3. It is noted that typically the assumption of having the two samples derived from the same distribution is rejected for $p = 0.05$. This leads us to believe that the system enters a steady-state after round 1000 in this case.

We derived the conditional probability function for Scenario 1 as follows. We recorded the hop count every round from round 1000 to round 1499 for 5,000 randomly initialized simulations. The hop counts were in the range [2, 28], but the largest portion of samples were either 2 or 3. We then selected the data from the simulations for which the hop count was >3 in round 1000, which is the case when a search in round 1000 with a TTL = 3 would have failed to find the target. There were 632 such instances.

Figure 2 shows the number of samples equal to 2, 3, 4, and 5 hops each round. Each plot is close to a horizontal line, supporting the claim that the hop count distribution is in a steady-state. Figure 3 shows the number of samples equal to 2, 3, 4, or 5 hops each round in these instances. Here it is clear that the distribution converges back to the steady-state, in about 180 rounds, with the number of samples equal to 2 and 3 increasing each round and the number of samples equal to 4 and 5 decreasing.




Fig. 2. Number of samples each round (Scenario 1)




Fig. 3. Number of samples each round when the hop count >3 in the first search round (Scenario 1)

We normalized the histogram of hop counts from this subset each round to 1, and then divided each bin by the corresponding bin in the normalized histogram of all samples. This gives us the coefficient by which $f(x)$, $x \in 2, 3$, would need to be multiplied at round $1000 + t$ to give us the conditional probability $g(x, 3, t)$ if the two histograms mentioned above were to correspond to $g(x, 3, t)$ and $f(x)$, respectively. We found the least-squares fit of each sequence of fractions to the function $\sum_{i=0}^5 x^i$. Let $g'(t)$ be this function. We define $g(x, x', t) = g'(t)f(x)$ for all combinations of (x, x') in $g(x, x', t)$. Figure 4 shows the histogram of all




Fig. 4. Normalized histogram of hop count samples (Scenario 1)




Fig. 5. Functions fitted to fractional conditional distributions (Scenario 1)

samples normalized to 1. Figure 5 shows the sequence of fractions and the fitted curves that were used to define $g(x, x', t)$.

We followed the same procedure for Scenario 2. In this case, the range of hop counts in the distribution is $[3, 13]$, with most samples falling the range $[3, 7]$. We considered the conditional probability when the hop count was >4 and set $g(x, x', t)$ to the best fit of conditional probability of hop count 4 to the function $1 + \log t$. The time to converge in this case was longer than the previous case, about 300 rounds.

5.2 Results

For both Scenarios 1 and 2, we constructed the hop count distribution using samples from round 1000 from 500 simulations. We constructed the cost function in a similar manner, by counting the number of nodes at each level of the BFS tree in round 1000 over 500 simulations and taking the average. Using these distributions and cost functions, we derived the optimal expanding ring search, the expected cost of an infinite elastic ring search under optimal conditions, and the 50, 100, \dots , 500 round strategies using Heuristics 1 and 2. We simulated the use of these heuristics in 500 simulations for each sequence length, beginning from round 1000 in Scenario 1 and round 1500 in Scenario 2.

Figure 6 is a plot of the average cost of using expanding ring search, Heuristic 1, and Heuristic 2. Additionally, the expected cost under optimal conditions, according to Theorem 2, is included as a lower bound on expected costs. We can see from the figure that Heuristic 1 performs better than expanding ring search when it is allowed more than 50 rounds; Heuristic 2 always performs better than expanding ring search; Heuristic 2 performs slightly better than Heuristic 1; and both converge to the lower bound. Additionally, the average costs are very close to the expected costs (not shown), which shows that the estimation of $g(x, x', t)$ was adequate despite the fact that it did not account for all cases.

Figure 7 is a plot of the average costs of the different strategies. Here, Heuristics 1 and 2 are close in performance, but both are significantly better than expanding ring search, even when limited to 50 rounds. In this case, the potential difference between using expanding ring search and elastic ring search is significant. The average cost of expanding ring search is about 95, while the lower bound is about 55, which is about an additional 16% reduction in costs




Fig. 6. Average costs of different search strategies in Scenario 1 (1 round = 100 ms)




Fig. 7. Average costs of different search strategies in Scenario 2 (1 round = 100 ms)

from full flooding. Both heuristics approach this lower bound when allowed 500 rounds.

6 Conclusion

As illustrated throughout the paper, when considering dynamic settings, the searcher can benefit substantially by deviating from the optimal expanding ring search to an elastic sequence. The frequent changes in the network topology are inherent in the problem definition, and the tolerance of delay characterizes several important applications (e.g., text messaging, emails, data collection). The new method takes advantage of the potential formation of new, potentially shorter, routes along time. In such cases, it is useful to delay search for some time (e.g., not to search in some of the rounds) as well as to search to reduced extents from time to time.

While the computational complexity of the dynamic programming approach presented in this paper for extracting the optimal ELRS sequence is substantial, efficient sequences can be extracted in polynomial time. Two such heuristics are given in this paper. The first repeats the same TTL value at regular intervals, while the second uses a non-decreasing sequence. These heuristics can be derived in polynomial run-time and their performance, as illustrated experimentally, converges to a lower bound on optimal costs. We believe that these solutions are ideal for ad-hoc networks that are inherently bounded by their power supply.

While this paper makes an important contribution to the research of expanding ring search in general by demonstrating the existence of a steady-state distribution, the use of such methods in practice requires the ability to learn the steady-state on the device. Therefore, an important area for future research is the parametric-based extraction of the steady-state distribution based, for example, on the number of nodes, and the broadcast capabilities of the devices being used. With this capability, each participant can generate the steady-state independently on their own device, or it can be generated when setting up the network. Another approach is to create a database of pre-generated steady-states and choose a best match according to the parameters above. As a data-driven algorithm, increasing the size of the database will increase the precision of the

matches and thus increase the performance of ELRS using that data. With the constantly decreasing size and price of storage, it is certainly practical to store a very large database on the devices.

Acknowledgments. This work was supported in part by the Israeli Ministry of Industry and Trade under project RESCUE and ISF grant 1083/13.

References

1. Baryshnikov, Y.M., Coffman Jr, E.G., Jelenkovic, P.R., Momcilovic, P., Rubenstein, D.: Flood search under the california split rule. *Oper. Res. Lett.* **32**(3), 199–206 (2004)
2. Bettstetter, C., Hartenstein, H., Costa, X.P.: Stochastic properties of the random waypoint mobility model. *Wireless Netw.* **10**(5), 555–567 (2004)
3. Bettstetter, C., Resta, G., Santi, P.: The node distribution of the random waypoint mobility model for wireless ad hoc networks. *IEEE Trans. Mob. Comput.* **2**(3), 257–269 (2003)
4. Chang, N.B., Liu, M.: Revisiting the TTL-based controlled flooding search: optimality and randomization. In: Haas, Z.J., Das, S.R., Jain, R. (eds.) *Proceedings of the 10th Annual International Conference on Mobile Computing and Networking (MobiCom '04)*, pp. 85–99. ACM, New York (2004)
5. Chang, N.B., Liu, M.: Controlled flooding search in a large network. *IEEE/ACM Trans. Netw.* **15**(2), 436–449 (2007)
6. Cheng, Z., Heinzelman, W.B.: Searching strategies for target discovery in wireless networks. *Ad Hoc Netw.* **5**(4), 413–428 (2007)
7. Deng, J., Zuyev, S.A.: On search sets of expanding ring search in wireless networks. *Ad Hoc Netw.* **6**(7), 1168–1181 (2008)
8. Hassan, J., Jha, S.K.: On the optimization trade-offs of expanding ring search. In: Sen, A., Das, N., Das, S.K., Sinha, B.P. (eds.) *IWDC 2004*. LNCS, vol. 3326, pp. 489–494. Springer, Heidelberg (2004)
9. Lee, S.-J., Belding-Royer, E.M., Perkins, C.E.: Scalability study of the ad hoc on-demand distance vector routing protocol. *Int. J. Netw. Manag.* **13**(2), 97–114 (2003)
10. Mukherjee, S., Avidor, D.: On the probability distribution of the minimal number of hops between any pair of nodes in a bounded wireless ad-hoc network subject to fading. In: *IWWAN* (2005)
11. Park, I., Pu, I.: Energy efficient expanding ring search. In: *Asia International Conference on Modelling and Simulation*, pp. 198–199. IEEE Computer Society (2007)
12. Pu, I., Shen, Y.: Enhanced blocking expanding ring search in mobile ad hoc networks. In: *2009 3rd International Conference on New Technologies, Mobility and Security (NTMS)*, 20–23 December 2009. pp. 1–5 (2009)
13. Pu, I., Shen, Y.: Analytical studies of energy-time efficiency of blocking expanding ring search. *Math. Comput. Sci.* **3**, 443–456 (2010)
14. Royer, E.M., Toh, C.-K.: A review of current routing protocols for ad hoc mobile wireless networks. *IEEE Pers. Commun.* **6**, 46–55 (1999)
15. Yoon, J., Liu, M., Noble, B.: Sound mobility models. In: *Proceedings of the 9th Annual International Conference on Mobile computing and networking (MOBI-COM '03)*, pp. 205–216. ACM, New York (2003)
16. Younes, O., Thomas, N.: Analysis of the expected number of hops in mobile ad hoc networks with random waypoint mobility. *Electr. Notes Theor. Comput. Sci.* **275**, 143–158 (2011)