

ALIVE Meets SHARE-it: An Agent-Oriented Solution to Model Organisational and Normative Requirements in Assistive Technologies

Ignasi Gómez-Sebastià, Dario Garcia-Gasulla, Cristian Barruè,
Javier Vázquez-Salceda, and Ulisés Cortés

Departament de Llenguatges i Sistemes Informàtics,
Universitat Politècnica de Catalunya (UPC),
C/Jordi Girona 1-3, E-08034, Barcelona, Spain
{igomez,dariog,cbarrue,jvazquez,ia}@lsi.upc.edu

Abstract. Assistive technologies represent a recent application area of a wide variety of Artificial Intelligence methods and tools to support people in their activities of daily living. But most approaches do only center in the direct interaction between the user and the assistive tool, without taking into consideration the important role that other actors (caregivers, relatives) may have in the user activities, nor they explicitly reflect the norms and regulations that apply in such scenarios. In this paper we present an approach to the development of assistive technologies which uses organisational and normative elements to ease the design of both the social network around the user and their expected behavioural patterns.

Keywords: Assistive technologies, personalised services, normative systems, normative agents, agent-oriented software design.

1 Introduction

Assistive technologies are an application area where Artificial Intelligence methods and tools have been applied to support people in their daily life. Most approaches tend to center in the user-assistive tool interaction, though. But next generations of assistive technologies should provide ways to connect users with caregivers and relatives, and provide ways to monitor unwanted behaviour.

In this paper we present an approach to the development of distributed assistive technologies using organisational and normative elements to include all relevant actors related to a given patient and their role in the patient's activities. We will use as example an scenario where the technology should facilitate some necessary and periodic tasks which would require an impeded patient to leave his/her house. The scenario focuses on those tasks that allow a patient to be periodically controlled by a doctor and to obtain his/her medication, according to the treatment assigned. The scenario is inspired in the assistive technology developed in the SHARE-it [6] project (§2).

This scenario presents several tasks that must be coordinated by a range of actors in a in a highly regulated environment where the roles for some of the

actors and the way they may interact with patients (e.g. who can change the patient medication) are clearly stated. This complex scenario can benefit from the combination of norm-aware, organisational-aware multiagent techniques and Semantic Web Services to enable dynamic and regulated service composition. What's more, technologies involving organizational and coordination theories applied to Web Services are also key in order to effectively maintain a system operating in such a constrained and dynamic environment. We will use the ALIVE framework and its tools to model and develop this scenario, as it has been already successfully applied to other dynamic and complex scenarios [5].

The rest of this paper is structured as follows: the paper summarizes an use case inspired on the *SHARE-it* project in §3. Later, the ALIVE framework is briefly explained in §4. The paper goes on by describing the application of the ALIVE framework to the use case. Finally authors state their conclusions and lines of future work.

2 SHARE-it

The main goal of *SHARE-it* (Supported Human Autonomy for Recovery and Enhancement of cognitive and motor abilities using information technologies) project was to contribute to the development of the next generation of intelligent and semi-autonomous assistive devices for older persons and people with disabilities (both cognitive and/or motor). The focus of *SHARE-it* was to develop a scalable, adaptive system of add-ons composed of sensor and assistive technologies so that they can be modularly integrated into an intelligent home environment to enhance the individual's autonomy.

The basic assumption in this research effort is that the target population by using these supporting devices could be self-dependent enough as to autonomously live in their community, staying at home as long as possible with a maximum safety and comfort; this possibility would increase their Quality of Life, and, at the same time, delay their institutionalization. At least in part, *how well* these elders live and their abilities to maintain independent life styles will depend on their health and the degree to which they have remained totally able or *frail* or *disabled*. This in turn, will depend to at least some extent on *how well* the artificial and built environments in which they live conform to their needs and their age-related losses in abilities and somatic integrity.

Mobility is a key aspect of the *SHARE-it* project. As a result, four different assistive platforms (i-Walker [2], Spherik, CARMEN and Rolland [4]) were developed and deployed in real environments, whose objective is to be able to provide mobility assistance for wide range of users, paying particular attention to the needs of elderly and impaired people. These platforms were tested in a special Ambient Intelligent environment, the *Casa Agevole*, a house specially designed for people with disabilities and equipped with a wide array of domotic capabilities and sensors.

In order to combine and manage the information from the ambient intelligence, the robotic platforms actuators and functionalities and offer a set of cognitive services to the users, a multi-agent system was developed as control

middleware. The *SHARE-it* agent layer architecture focuses on delivering three main kind of services: monitoring, navigation support and cognitive support.

3 Use Case

The use case we present in this paper, called *Alberto takes his drugs*, extends the one originally presented in [1]. In it we model a scenario with a physically disabled person (*Alberto*), whose disability makes it very difficult for him to leave his house. The problem we try to solve is supplying *Alberto* with his required medications without him leaving his house, as well as facilitating the interaction with his doctor. The main stakeholders of the use case are: 1) *Alberto*, as the patient. 2) *Doctor*, as the responsible person for his medical treatment. 3) *Health Insurance Company*, as the entity organizing and controlling the interactions. 4) *Pharmaceutic*, as the medication retailer. 5) *Logistics*, as the person/company responsible for home delivery. 6) *Domotic House*, the house *Alberto* lives in, which can identify and grant entrance to authorized people. 7) *Medical Dispenser*, a device which automatically provides medications doses (*i.e.* pills). 8) *Medical Monitor*, a device controlling the Medical Dispenser embedding it with intelligent behavior.

The scenario starts with a visit of *Alberto* to his doctor, who assigns a periodical treatment. The Doctor sends the treatment to the Medical Monitor which communicates with the Logistics (the monitor should be able to choose the most suitable Logistics person taking into account delivery routes, proximity and workload), requesting the supply of the medication to *Alberto*. The Medical Monitor communicates with the Pharmaceutic as well (again, choosing the most suitable one, taking into account pharmacy locations and medication stocks), requesting the handover of the medication to the Logistics. The Medical Monitor also grants permissions to both of them to do their task (*i.e.* electronic medical recipes). Once the Logistics has fetched the medication from the Pharmaceutic, goes to *Alberto*'s house and is identified and granted access by the Domotic House. Once inside *Alberto*'s house, Logistics fills the Medical Dispenser with the requested medication. The Medical Monitor detects the update of the medication stock quantity, and keeps monitoring it to avoid stock breaks.

Once the Medical Monitor detects an incoming lack of medication (given the current stock in the Medical Dispenser and the daily medication dose specified by the Doctor) it communicates with the doctor, requiring it to approve an extension of *Alberto*'s treatment. The Doctor may approve the renewal or change to a new one, in which case orders and permissions are automatically sent to the Logistics and the Pharmaceutic by the Medical Monitor, or arrange a meeting with *Alberto* if required.

The Health Insurance Company imposes some rules and restrictions on the process. For example, it requires that the Doctor, the Logistics and the Pharmaceutic fulfill their obligations within a established time gap. In case some of those actors take too long to perform their tasks and violate their deadline, a sanction is issued and measures are taken to make sure *Alberto takes his drugs*.




Fig. 1. ALIVE architecture [3] (S stands for Service)

On the other hand, it requires some basic safety rules are accomplished, such as checking medication’s *best before date* before refilling the Medical Dispenser.

4 The ALIVE Framework

The ALIVE framework presents a multi-level structure that combines model-driven design techniques and agent-based system engineering providing support for *live*, open, and flexible service-oriented systems. ALIVE’s organisational and normative structures make it suitable for highly regulated scenarios like the one presented in this paper. The ALIVE framework applies substantive norms that define commitments agreed upon actors and are expected to be enforced by authoritative agents, imposing repair actions and sanctions if invalid states are reached. Substantive norms allow the system to be flexible, by giving actors (human or computer-controlled) the choice to cause a violation if this decision is beneficial from an individual or collective perspective.

4.1 Organisation Level

The organizational level represents the organizational structure of the system via the organizational model. The organizational model is formalized following the

Opera methodology [7], including the following concepts: 1) Objectives: States of the world pursued by actors. Derived from organisation's goals. 2) Roles: Groups of activity types played by actors (either agents or human users). The set of roles and the relations between them constitutes the *Social Structure*. 3) Landmarks: Represent important states of the world regarding the achievement of goals. They are identified by the set of propositions that are true on the state of the world represented by the landmark.

The organisation level supports the definition of norms, adding a normative structure to the social and interaction structures. The normative structure is useful for imposing patterns of behavior. The elements on the normative structure contain the following main components, expressed using Partial State Descriptions of the world: a) Activation Condition: when the world reaches the state specified in this condition, the norm starts to be checked. b) Expiration Condition: when the world reaches the state specified in this condition, the norm stops to be checked, and has not been violated. c) Maintenance Condition: when the world reaches the negation of the state specified in this condition, the norm stops to be checked, and has been violated.

4.2 Coordination Level

The coordination level provides the patterns of interaction among actors, transforming the organisational model into coordination plans, or work-flows. Work-flows bring the system from the state represented by a landmark to the next one (as defined on the interaction structure) and are formed by chains of tasks. Tasks, as defined on the *task model*, contain both pre and post-conditions, that define the state of the world before and after the task is performed. Tasks contain as well semantic information that binds them to abstract services on the service level.

A set of intelligent agents, deployed on the AgentScape platform¹ enacts the work-flows in a distributed and coordinated fashion. Agents analyse and monitor work-flow execution and react to unexpected events, either by enacting alternative work-flows or by communicating the incident to other levels.

4.3 Service Level

Appropriate services are selected for each abstract task composing the work-flows by matching the semantic information contained on the service description and on the task description. These descriptions are defined in terms of OWL-S² service profiles. OWL-S profiles facilitate the process of composing services (effectively matching a chain of services to a given task) and finding alternative ones (effectively matching a set of alternative services to a given task, and reassigning on the fly services to tasks if a given service is not available).

¹ <http://www.iids.org/research/aos>

² <http://www.w3.org/Submission/OWL-S/>

4.4 The Monitor Tool

The monitor tool is the back-bone of the ALIVE framework, connecting all the three levels allowing the exchange of events among them, from a service invocation that fails to an update on the Organisational design (*e.g.* a new role or objective is introduced) that affects the agents in the coordination level. Agents enact their roles by interacting either via direct communication (coordinating among themselves) or via service invocation. The monitor tool observes these interactions and matches them with the normative and organisational states (*e.g.* Obligations, Permissions, Roles) effectively allowing agents to reason about the effects (in a normative sense) of their actions.

5 Use Case Model

This section models the use case introduced in §3 using the ALIVE framework. It introduces the model from the Organisation, Coordination and Service level perspectives. Elements from the domain ontology are referenced when required.

5.1 Organisation Level Model

In the organisation level we identify the existing set of stakeholders, the goals of each of them, landmarks and scenes related to those goals and the normative structure of the system. The stakeholders are extracted from the use case explanation, and the roles are derived from them.

For each *role*, its *goals* within the use case have been identified. Also a hierarchical relation representing dependencies between roles has been defined. For instance, to fulfill the goal *Prepare_deliver*, pick-up and deliver permissions must be assigned to both *Logistic* and *Pharmacy* roles. Thus, the role fulfilling *Prepare_deliver* depends on the role assigning permissions. Each goal is assigned a state description, representing the state of the world when the objective has been fulfilled. For example, the goal *Reach_pharmacy* has been fulfilled when the logistics person *A* (who has been given the order to go to a given pharmacy *P*) is in the same geographical coordinates as *P*.

Landmarks define important states on the achievement of the goals. A set of ordered landmarks define a scene. The execution of each scene entails the achievement of one or more goals. For instance, when the landmark *Check_treatment* is reached, the goal *Aprove_treatment* is fulfilled. Role *Doctor* participates on the landmark because it has the objective *Aprove_treatment* assigned.

The last element to be defined on the organisation level are the norms, which must be specified by an expert on the domain together with the supervising entity, if there is one (in this case it would be the Health Insurance Company).

5.2 Coordination Level Model

The elements on organisation level are derived into the coordination level. This level contain three main elements, actions, plans and agents. A single agent is

created for each role on the organisation level. Actions are derived from objectives on the organisation level. Objectives without sub-objectives are derived as *atomic actions*, whereas objectives that have sub-objectives are derived as *composite actions*. Composite actions contain sets of atomic actions inside an structure called *Construct Bag*. Construct bags allow the definition of restrictions among the set of atomic actions that form the composite action (e.g. precedences between the actions or actions that can be enacted in parallel). Atomic actions contain both pre and post-conditions representing the state of the world before and after the task is enacted. Thus, the post-condition of a given task matches the state description of the objective the task is derived from. Atomic actions contain as well Inputs and Outputs, representing the parameters the action is taking and returning respectively. These parameters are mapped to concepts defined on the *Domain Ontology*. For instance, the action *Visit_Doctor* has *timestamp*, *doctor* and *client* as inputs, and *treatment* as output.

Plans represent chains of actions. One plan has been modeled for each transition between landmarks or scenes defined on the organisation model. In the case of the transition between the scenes *Prepare_request_medication* \rightarrow *Request_medication* and *Pick_up_medication* \rightarrow *Hand_medication_over* one additional plan is provided for each transition. In this case, the agents have two options available in order to bring the world from the state represented by the first scene to the state represented by the second one. The norms defined on the organisation model provide means for pondering both plans (analyzing which plan will cause less norm violations) and choosing the most appropriate one on each situation.

5.3 Service Level Model

This model consists in a set of OWL-S annotations applied to the web services available in the system. These annotations, modeled in the form of Inputs-Outputs-Preconditions-Effects allow the matchmaker component to find suitable services for the tasks the agents try to enact. This intermediate component allow a dynamic mapping between the tasks and the services, choosing the most appropriate service on the fly. This means different services (with equivalent descriptions) can be chosen for the same task depending on service's availability and performance. For instance, the task *identify_delivery_person* can be performed by enacting the services *id_card_reader* or *domotic_door_iris_reader*.

6 Conclusions and Related Work

ALIVE provides flexibility to the case. Due to the connection among levels, a change in the organisational level can trigger changes both in the coordination level (*via* plan and agent generators) and in the service level (new plans will result in the execution of new tasks and, possibly, the invocation of new services). Thanks to this approach, new roles, objectives and norms can be introduced in the organisational level, without the designer having to perform any modification to coordination and service levels, as this changes are automatically

performed. Intelligent agents at the coordination level provide organisational-normative awareness capabilities to the system. Allowing the agents to reason about the workflows before performing them, and discarding the ones that do not comply with organisational norms, adds organisational awareness to the execution of the workflows. Normative agents come in handy on the presented case, as they can perform reasoning about what actions to perform taking into account both the actions available and the norms defined.

Acknowledgements. This work has been partially supported by the FP7-215890 ALIVE project. Authors would like to acknowledge partial support from the Spanish funded project ASISTIR TEC2008-06734-C02-02. J. Vázquez-Salceda's work has been also partially funded by the Ramón y Cajal program of the Spanish Ministry of Education and Science. The authors would like to acknowledge the contributions of their colleagues from the ALIVE consortium. The views expressed in this paper are not necessarily those of the ALIVE consortium.

References

1. Annicchiarico, R., Campana, F., Federici, A., Barrué, C., Cortés, U., Villar, A., Caltagirone, C.: Using scenarios to draft the support of intelligent tools for frail elders in the share-it approach. In: Cabestany, J., Sandoval, F., Prieto, A., Corchado, J.M. (eds.) IWANN 2009. LNCS, vol. 5517, pp. 635–641. Springer, Heidelberg (2009)
2. Cortés, U., Martínez, A.B., Barrué, C., Benedico, T., Campana, F., Annicchiarico, R.: An agent-based service to elders mobility using the i-walker. In: 7th International Conference on autonomous agents and Multiagent systems, AAMAS 2008 (2008)
3. Alvarez-Napagao, S., Koch, F., Gómez-Sebastià, I., Vázquez-Salceda, J.: Making games alive: an organisational approach. In: Proceedings of the Workshop Agents for Games and Simulation AAMAS 2010, pp. 112–124 (2010)
4. Mandel, C., Huebner, K., Vierhuff, T.: Towards an autonomous wheelchair: Cognitive aspects in service robotics. In: Proceedings of Towards Autonomous Robotic Systems (TAROS 2005), pp. 165–172 (2005)
5. Palau, M., Ceccaroni, L., Gómez-Sebastià, I., Vázquez-Salceda, J., Nieves, J.C.: Coordination and organisational mechanisms applied to the development of a dynamic, context-aware information service. In: ICAART (2), pp. 88–95 (2010)
6. Supported Human Autonomy for Recovery and Enhancement of cognitive and motor abilities using information technologies (2007), <http://www.ist-shareit.eu>
7. Dignum, V.: A model for organizational interaction: Based on agents, founded in logic. In: Utrecht University (ed.) SIKS Dissertation Series 2204-1. Utrecht University (2004)