

Ubiquitous Healthcare Profile Management Applying Smart Card Technology

Maria-Anna Fengou, Georgios Mantas, Dimitrios Lymberopoulos,
and Nikos Komninos

Wire Communications Laboratory, Electrical and Computer Engineering Department,
University of Patras
University Campus, 265 04 Rio Patras, Greece
{afengoum, gman, dlympero}@upatras.gr
nkom@ieee.org

Abstract. Nowadays, the patient-centric healthcare approach is focused on ubiquitous healthcare services. Furthermore, the adoption of cloud computing technology leads to more efficient ubiquitous healthcare systems. Moreover, the personalization of the delivery of ubiquitous healthcare services is enabled with the introduction of user profiles. In this paper, we propose five generic healthcare profile structures corresponding to the main categories of the participating entities included in a typical ubiquitous healthcare system in a cloud computing environment. In addition, we propose a profile management system incorporating smart card technology to increase its efficiency and the quality of the provided services of the ubiquitous healthcare system.

Keywords: cloud computing, user profiles, profile management, smart card.

1 Introduction

Nowadays, the patient-centric healthcare approach is focused on healthcare services related to effective treatment, disease prevention, proactive actions and life quality improvement at the right time, right place and right manner without limitations on time and location. Essentially, the patient-centric approach can be materialized through ubiquitous healthcare. Furthermore, the current trend of outsourcing of IT infrastructure via adoption of cloud computing technology leads to more efficient ubiquitous healthcare systems in which end-user data are stored and processed at many different places distributed geographically [1]. However, many ubiquitous healthcare services built by third-party providers are usually tied to specific scopes and they are not able to be adapted to the unique preferences and interest of the end-users. Because of these limitations, personalized healthcare systems based on user profiles have been recently deployed [2]. Profile management materializes the main functionality of personalized healthcare systems [3]. In addition, profile management integrates the user profiling process consisting of three main steps. In the first step, an information collection process takes place in order raw information related to the user

to be gathered. The second phase includes the user profile construction process based on the gathered user information. Finally, in the third phase, a service makes use of the data in the user profile in order to provide personalized services [4]. During the past few years, a lot of effort has been invested in user profile management systems for ubiquitous healthcare systems. However, these profile management systems incorporate user profiles including limited user information associated with user preferences and interests. Therefore, it is essential the creation of more enriched user profiles for efficient ubiquitous healthcare systems. Furthermore, taking into consideration the challenges that a ubiquitous healthcare system should face in order to provide high quality and reliable services, it is required the creation of profiles for all the participating entities of such a system.

Thus, in this paper, we propose five generic healthcare profile structures that correspond to the main categories of the participating entities of a typical ubiquitous healthcare system in a cloud computing environment. The main objective of these proposed structures is to contribute toward the creation of more enriched profiles for all participating entities of a ubiquitous healthcare system. Additionally, we propose a profile management system incorporating smart card technology in order to increase its efficiency and the quality of the provided services of the ubiquitous healthcare system. Especially, smart cards are proposed to include information referencing to large amount of stored profile data for the creation of enriched user profiles. Profile data should always be available, over all networks, from all supported services enabling service continuity and optimal user experience.

Following the introduction, this paper is organized as follows. In Section 2, the related work of ubiquitous healthcare sector in cloud computing environment and profile management is presented. Furthermore, a brief overview of smart card technology is given. In Section 3, the proposed five generic healthcare profile structures are described. In Section 4, the proposed profile management system is discussed. Finally, Section 5 concludes the paper.

2 Related Work

2.1 Ubiquitous Healthcare in Cloud Computing

Several platforms have been proposed that combine cloud computing and network security concepts implemented in the healthcare domain [1]. MoCAsH [5] is an infrastructure for assistive healthcare. It inherits the advantages of Cloud computing and embraces concepts of mobile sensing, active sensor records, and collaborative planning. The work [6] proposes a system designed and implemented using the cloud computing platform to provide a long term offsite medical image archive solution. Phynx [7] presents the development of an open source software solution that supports management and clinical review of patient data from electronic medical records databases or claims databases for pharmaco-epidemiological drug safety studies. In [8], it is proposed a solution to automate the existing processes for patients' vital data collection that require a great deal of

labor work to collect, input and analyze the information. This work is also based on the concepts of utility computing and wireless sensor networks. The information becomes available in the “cloud” from where it can be processed by expert systems and/or distributed to medical staff. Finally, [9] presents the implementation of a mobile system that enables electronic healthcare data storage, update and retrieval using cloud computing. The mobile application provides management of patient health records and medical images.

2.2 Profile Management System

Personalization and user profile management holds the promise of improving the uptake of new technologies and allowing greater access to their benefits [10, 11]. In a typical profile management scenario, there are multiple profile storage locations. Many of these locations will not store the total profile but only components that apply to a device, an application, a network function or service. Different locations may have different persistence and priority levels. Although the user profile data is distributed amongst a range of devices, applications and services, ideally, all profile data should always be available, over all networks, from all supported devices and services, including fixed and mobile services allowing service continuity and optimal user experience [11].

The work [12] proposes a user profile management that allows the creation of an instance of the user profile for each application and for each instance of context. Major enhancement consists in the enrichment of the user profile with dynamic data permitting to characterize the user environment, the serving device and network. Sutterer et al. [13] introduce a user profile management approach for managing and delivering context-dependent user profiles for several applications and decouples the application development from context processing in ubiquitous computing environments.

2.3 Smart Card Technology

Smart cards are plastic pocket-sized cards embedded with either a microcontroller chip or only a memory chip with non – programmable logic. Nowadays, smart cards are used in a variety of applications ranging to identify individuals and get cash from the bank to mobile telecommunications (SIM-cards). Smart cards are favorable for applications that require data confidentiality and data integrity. Data confidentiality guarantees that the data/information contained on the card is accessible only by legitimate users. Data integrity ensures that the data/information stored on the card is always defined and is not changed even if the power to the card is removed during a computation involving data stored on the card.

The operating systems used in the majority of current smart cards are based on the provisions of the ISO/IEC 7816 family of standards. The smart card operating systems are stored in the ROM of the chip. Moreover, the available part of RAM

and a small part of EEPROM are used by the operating systems. They implement a standard set of commands (e.g. 20-30) which the card can “understand” [14].

3 Proposed Healthcare Profile Structures

The electronic Medical Health Record (eMHR) is considered as the core component for ubiquitous healthcare systems. Treatments, demographic, examinations and other medical information of each citizen are stored in eMHRs. However, to deliver personalized ubiquitous healthcare services, it is also essential the incorporation of profiles of the participating entities in the ubiquitous healthcare systems.

In a ubiquitous healthcare system, there are the following categories of participating entities:

- Patient: around whom the healthcare services are built depending on his health condition and the services that he is interested on;
- Patient’s social network: doctors, healthcare providers, family members, volunteers, etc;
- Healthcare Center: in case the patient's health condition is critical, he will be transferred to a Healthcare Center;
- Smart Home: a home equipped with advanced technology (e.g. wireless sensor networks) adequate to provide safety and a quality of life to people suffering from chronic diseases (e.g. cardiac) or elders having dementia;
- Office: the area where the patient works;
- Vehicle: the personal vehicle that the patient uses to be transferred.

All these entities are either directly or indirectly related to the patient when his health condition is critical and a ubiquitous healthcare service should be delivered. Based on the features of these entities, we propose a profile structure for each entity. To generate the profile structure of each entity, we used [15] and the method described in [16]. Using this method, the basic steps for the generation of the profile structures are: sampling, analyzing and modeling. Thus, the proposed generic healthcare profile structures are the following:

- User Healthcare Profile: This profile corresponds to the Patient and Patient’s Social Network categories;
- Healthcare Center Profile: This profile corresponds to the Healthcare Center category;
- Smart Home Profile: This profile corresponds to the Smart Home category;
- Office Profile: This profile corresponds to the Office category;
- Vehicle Profile: This profile corresponds to the Vehicle category;

The proposed five generic healthcare profile structures are depicted in Fig. 1:

User Healthcare Profiles		Healthcare Center Profile	
Personal Information		Identification Info	
Preferences		Supported Healthcare Service	
<ul style="list-style-type: none"> • Personal Preferences • Professional Preferences • Service Format Preferences • Provided Services Preferences 		Available equipment and facilities	
Terminal Capabilities		<ul style="list-style-type: none"> • Ambulance • Beds 	
Required for Third Party		Available professional healthcare staff	
Current Activity		<ul style="list-style-type: none"> • Doctors • Nurses • Secretaries • IT supported staff • Administrator Support Staff 	
This field allows the user to indicate what is currently doing		Healthcare Center Availability	
Current Context Info		Statistics (Volume metrics)	
<ul style="list-style-type: none"> • Environmental Context • Medical Context • Social Context 			
User History		Smart Home Profile	
This field may contain a URI that indicates where the user's history is stored		Identification Info	
Rules		Support Healthcare Services	
This field contains statements that use as input variable information stored in the profile		e.g. telemonitoring	
Policies		Available equipment facilities	
<ul style="list-style-type: none"> • Security • Dedicated to user 		Available Home Members/ residents for support	
		Context Information	
		<ul style="list-style-type: none"> • Environmental 	
Office Profile		Vehicle Profile	
Identification Info		Vehicle Features	
Support Healthcare Services		Available equipment and facilities	
e.g. telemonitoring		Support Services	
Available equipment facilities		Context Information	
Available Office Members for support		<ul style="list-style-type: none"> • Environmental 	
e.g. secretary			
Context Information			
<ul style="list-style-type: none"> • Environmental 			

Fig. 1. Proposed Healthcare Profile Structures

4 Proposed Profile Management System

Our proposed profile management system is applied on an e-Health tele-monitoring system in a cloud computing environment for providing monitoring services to patients suffering from chronic diseases remotely. We consider that the e-Health tele-monitoring system integrates a wide spectrum of participating entities including patients, doctors, nurses, family members, a healthcare center, a smart home, an office and a vehicle. The participating patients, doctors, nurses and family members are considered as the users of the e-Health tele-monitoring system.

In addition, each participating entity has its own profile that follows the structure corresponding to one of our proposed healthcare profile structures according to the main category to which the participating entity belongs. Thus, the proposed profile management system makes use of a number of User Healthcare Profiles, a Healthcare Center Profile, a *Smart Home Profile*, an *Office Profile* and a *Vehicle Profile*. The incorporated data of each profile are stored in distributed databases in the cloud computing environment where the e-Health tele-monitoring system works.

The proposed profile management system of the e-Health tele-monitoring system is presented in Fig. 2:




Fig. 2. Proposed Profile Management System

The patients are being monitored by the system in order any critical event to be detected timely. The main objective of the proposed profile management system is the creation of group profiles in order to provide high quality and reliable personalized healthcare services to the patients.

The group profile is created based on the indexes stored in the *User Healthcare Profiles*. Each patient’s profile contains an index to a group profile that is triggered whenever an event is detected. The events are related to the patient’s health condition and they denote that the patient needs a medical advice or care due to aggravation of his/her health condition. The group is formed through certain management, scheduling and notification events.

Furthermore, in the context of the proposed profile management system, each one of the participating users poses a smart card storing information about the locations of databases where the corresponding profile data are stored. In other words, as it is depicted in Fig. 3, each user’s smart card stores URL locations pointing to databases where large amount of profile data are found in order a User Healthcare Profiles to be created.




Fig. 3. User Healthcare Profiles in Smart Cards

5 Conclusion and Future Work

In this paper, we have proposed five generic healthcare profile structures for all the main categories of the participating entities of a typical ubiquitous healthcare system in a cloud computing environment. Our vision for these structures is to lead to more enriched profiles for all participating entities. Furthermore, we have proposed a profile management system integrating smart card technology to increase its efficiency and the quality of the provided services of the ubiquitous healthcare system. Finally, as future work, we intend to deploy the proposed profile management system for an e-Health tele-monitoring system in cloud computing environment.

References

1. Löhr, H., Sadeghi, A.R., Winandy, M.: Securing the E-Health Cloud. In: 1st ACM International Health Informatics Symposium, Virginia, pp. 220–229 (2010)
2. Guillén, S., Meneu, M.T., Serafin, R., Arredondo, M.T., Castellano, E., Valdivieso, B.: e-Disease Management. A system for the management of the chronic conditions. In: 32nd Annual International Conference of the IEEE EMBS, Buenos Aires, pp. 1041–1044 (2010)
3. ETSI ES 202 746 V0.0.16: Human Factors (HF); Personalization and User Profile Management; User Profile Preferences and Information (2010)
4. Gauch, S., Speretta, M., Chandramouli, A., Micarelli, A.: User Profiles for Personalized Information Access. In: Brusilovsky, P., Kobsa, A., Nejdl, W. (eds.) *The Adaptive Web 2007*. LNCS, vol. 4321, pp. 54–89. Springer, Heidelberg (2007)
5. Hoang, D.B., Lingfeng, C.: Mobile Cloud for Assistive Healthcare (MoCAsH). In: Services Computing Conference (APSCC), Hangzhou, pp. 325–332 (2010)
6. Teng, C.C., Mitchell, J., Walker, C., Swan, A., Davila, C., Howard, D., Needham, T.: A medical Image Archive Solution in the Cloud. In: Software Engineering and Service Sciences (ICSESS), Beijing, pp. 431–434 (2010)
7. Egbring, M., Kullak-Ublick, G.A., Russmann, S.: Phynx: an open source software solution supporting data management and web-based patient-level data review for drug safety studies in the general practice research database and other health care database. *PDS* 19(1), 38–44 (2010)
8. Rolim, C.O., Koch, F.L., Westphall, C.B., Werner, J., Fracalossi, A., Salvador, G.S.: A Cloud Computing Solution for Patient's Data Collection in Health Care Institutions. In: Second International Conference on eHealth, Telemedicine, and Social Medicine, pp. 95–99 (2010)
9. Doukas, C., Pliakas, T., Maglogiannis, I.: Mobile Healthcare Information Management utilizing Cloud Computing and Android OS. In: EMBS, Buenos Aires, pp. 1037–1040 (2010)
10. ETSI TS 102 747 V1.1.1, Human Factors (HF); Personalization and User Profile Management; Architectural Framework (2009)
11. Kovacikova, T., Petersen, F., Pluke, M., Bartolomeo, G.: User Profile Management – Integration with the Universal Communications Identifier Concept. In: 13th WSEAS International Conference on Communications (2009)
12. Chellouche, S.A., Arnaud, J., Négru, D.: Flexible User Profile Management for Context-Aware Ubiquitous Environments. In: 7th IEEE Conference on Consumer Communications and Networking Conference (CCNC), Las Vegas, pp. 980–984 (2010)
13. Sutterer, M., Droegehorn, O., David, K.: User Profile Management on Service Platforms for Ubiquitous Computing Environments. In: 65th Vehicular Technology Conference (VTC), Dublin (2007)
14. Rankl, W., Effing, W.: *Smart Card Handbook*. Wiley (2003)
15. Draft ETSI ES 202 642 V0.0.28, Human factors (HF), eHealth; personalization of eHealth systems (2010)
16. Casas, R., Blasco Marín, R., Robinet, A., Delgado, A.R., Yarza, A.R., McGinn, J., Picking, R., Grout, V.: User Modelling in Ambient Intelligence for Elderly and Disabled People. In: Miesenberger, K., Klaus, J., Zagler, W.L., Karshmer, A.I. (eds.) *ICCHP 2008*. LNCS, vol. 5105, pp. 114–122. Springer, Heidelberg (2008)