



















- Engineering, vol. 51, no. 6, pp. 1044-1051, June 2004, doi: 10.1109/TBME.2004.826692.
- [32] Shoulin Yin, Hang Li, Desheng Liu and Shahid Karim. Active Contour Modal Based on Density-oriented BIRCH Clustering Method for Medical Image Segmentation [J]. Multimedia Tools and Applications. Vol. 79, pp. 31049-31068, 2020.
- [33] S. Yin and H. Li. Hot Region Selection Based on Selective Search and Modified Fuzzy C-Means in Remote Sensing Images[J]. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, vol. 13, pp. 5862-5871, 2020, doi: 10.1109/JSTARS.2020.3025582.
- [34] Yu Z, Li L, Zhang W, et al. An Adaptive EEG Feature Extraction Method Based on Stacked Denoising Autoencoder for Mental Fatigue Connectivity[J]. Neural Plasticity, 2021, 2021(5):1-12.
- [35] L. Cheng, D. Li, G. Yu, Z. Zhang, X. Li and S. Yu, "A Motor Imagery EEG Feature Extraction Method Based on Energy Principal Component Analysis and Deep Belief Networks," in IEEE Access, vol. 8, pp. 21453-21472, 2020, doi: 10.1109/ACCESS.2020.2969054.
- [36] Mouleeshuwarappabu R, Kasthuri N. Nonlinear vector decomposed neural network based EEG signal feature extraction and detection of seizure[J]. Microprocessors and Microsystems, 2020, 76(4):103075.