

Impact Ayo Ceting Towards Public Knowledge on Stunting at Public Healthcare Andalas Padang

Iip Permana¹, Ulfia Izzati², Yulia Hanoselina³, Rizki Syafril⁴
{ipaddr@fis.unp.ac.id¹, ulfiaizzati@gmail.com², yuliahanoselina@fis.unp.ac.id³,
rizkisyafri@fis.unp.ac.id⁴}

Universitas Negeri Padang, Padang¹, Public Healthcare Andalas Padang, Padang², Universitas Negeri Padang, Padang³

Abstract. Andalas Healthcare, as one of the frontier public health services in Padang, has successfully implemented the national strategy for stunting prevention in the health sector through ICT education media based on an android application called Ayo Ceting. The android application intentions to empower the public as educator agents in the national campaign stunting prevention. However, there is no research about the impact of Ayo Ceting as education media on public knowledge of stunting. Therefore this research is conducted to find out the relation of those variables in Public Healthcare Andalas Padang. This research uses a quantitative quasi-experiment method and the subject are ten women of reproductive ages, ten pregnant mothers, and ten mothers with babies under five years old. The result shows significant differences in stunting knowledge before and after intervention through Ayo Ceting.

Keywords: Public Empowerment, ICT, Android Application, Stunting, Ayo Ceting.

1 Introduction

Stunting is a growth failure condition in malnourished children for a long time and identifies by being shorter than children of their age [1]. Stunting causes not only physical growth issues but also brain disorders. Furthermore, stunting affects ability, intellectual achievement, and productivity. Stunting not only impacts the individual but also national human capital development in long term goal. To prevent and reduce stunting, the Indonesian government produces several policies and programs. One of those is the National Strategy in Accelerated Prevention on Stunting 2018-2024. Prevention is carried out through campaigns using communication, information, and education materials to communities. One of the programs is improving nutrition attitudes and behavior through nutrition education [2].

Information and Communication Technology has become a viral media to all of the Indonesian society levels. It is reported by We are social in 2019, in which there were 355 million registered mobile phone devices from a total population of 268 million Indonesians and 150 million active internet users with 130 million internet access via mobile devices [3]. It means that more than half of Indonesia's population access the internet using mobile devices. Therefore mobile devices become a perfect tool to deliver information and communication.

Andalas Healthcare, as one of the frontier public health services in Padang, has successfully implemented the national strategy for stunting prevention in the health sector through ICT

education media based on an android application called Ayo Ceting. Ayo Ceting can be downloaded and accessed by all the community levels in Indonesia through the Play Store. Ayo Ceting application is not only an educational media but also as a monitoring and evaluation media for pregnant women and infants, as well as a media for registration and direct online consultation to doctors [4]. The appearance of the Ayo Ceting application can be seen in the image below.




Fig. 1. Ayo ceting application [4].

Successful use of the Ayo Ceting application as a campaign media for preventing stunting through education requires stakeholder participation, especially communities. Therefore, it is urgent to determine the effect of using the Ayo Ceting application in increasing public literacy towards stunting.

1.1 State of the art

Stunting is a failure to flourish in children due to insufficient nutritional intake when the child is in the womb or when the child is in the first 1000 days of life [5]. The Minister of health fundamental research conducted in 2018 shows the decreasing prevalence of national stunting by 6.4% in a 5-year. West Sumatra ranks 17th place with a prevalence value of more than 40%, the City of Padang is 11.86% [5]. The Indonesian Government has conducted some action to reduce the number of stunting in Indonesia. National strategy for acceleration and prevention of stunting provides knowledge and accelerate learning related to stunting to the public.

Studies related to stunting literacy introduces by several peoples [6], [7], [8], [9]. Saleh finds that 68.3% of the people in Mamminasa familiar with mobile phone media in his research related to ICT literacy. Fauziati uses flipchart media to deliver stunting literacy to brides-to-be, but this is not effective because the research subjects do not get in-depth knowledge about stunting prevention. Wahyurin, in his research, used brainstorming and audiovisual methods in delivering literacy to mothers with stunted children, but without monitoring and evaluating

within a certain period to see the memory abilities of the research object. In another study, Nasrullah used ICT media based on augmented reality technology as a stunting literacy media and produce excellent results were obtained based on a questionnaire filled out by 30 respondents.

At the beginning of 2019, in the service area of Andalas Healthcare, stunting incidence is reached 26.9%. Some programs rolled by the Andalas healthcare for educating civic are the house of nutrition and the pregnancy women classes. Thus both of those are still not optimal. Therefore, the Andalas healthcare innovated by developing an Android-based ICT media called Ayo Ceting as the stunting prevention education campaign.

1.2 Literature Review

Stunting

In Indonesia, being shorter is often considered a hereditary factor, even though nutrition is the main factor causing stunting. Indonesia government, through the National Team for the Acceleration of Poverty Reduction (TNP2K), has released the National Strategy (Stranas) for an acceleration of stunting prevention for 2019-2024 [5]. The objectives of the National Stunting Strategy are a) to ensure stunting prevention is a priority of the government and society at all levels; b) increase awareness and change the behavior of civics to prevent stunting; c) strengthening convergence through coordination and consolidation of central, regional and local programs and activities; d) increase access to nutritious food and promote food security; e) enhance monitoring and evaluation as a basis for ensuring quality service delivery, increasing accountability, and accelerating learning. Stranas goals to create five pillars. The Pillars as follows, commitment and leadership vision; National campaign and behavior change communication; convergence of central, regional, and local programs; food and nutrition security; monitoring and evaluation. One instrument from these pillars is the national campaign and behavior change communication throughout a campaign using communications, information, and education materials.

Digital Literacy

Humans can identify, understand, interpret, create, communicate, count, read, write, speak, and solve problems at several skill levels in everyday life. This extraordinary human ability is known as literacy. Thus, a person's level of understanding of the information they receive is a form of literacy.

ICT Media utilizes digital-based technology tools to manage communication and information. ICT media helps facilitate human life, start from archiving information and communication in ICT media to transmitting those to other parties. Internet is one of the ICT media widely used by all levels of society. Various information and communication passes on the internet can be used quickly, precisely, anytime, anywhere, and through any digital device that supports internet connectivity.

Digital literacy is knowledge and skills to use digital media to finding, evaluating, using, making, and utilizing information in a healthy, wisely, intelligently, carefully, precisely, and law-abiding manner to foster communication and interaction in everyday life [10]. Digital literacy aims to educate society in using information and communication wisely through digital technology. The fast growth of digital literacy provides opportunities for information disclosure to the public, so it needs to be accompanied by intelligence in analyzing data and content from the digital literacy presented [10].

Ayo Ceting Program

Andalas Healthcare is one of the frontiers of public health services in East Padang. It covers ten sub-districts (village) with an area of 8.15 Km². Since February 2019, it has been running Ayo Ceting (Ayo Cegah Stunting) program with the target group of pregnant women and mothers with babies/toddlers through knowledge transfer to create stunting understanding, awareness, and prevention behavior through 3 activity packages namely, 1) WhatsApp Group for pregnant mother; 2) nutrition house; and 3) Digital education: Ayo Ceting application based on Android [4]. Ayo Ceting application is an educational media for stunting prevention through display stunting campaign directly on the android device. It has the function of recording and monitoring the nutrition of pregnant women, babies, and toddlers. It also provides online registration and consultation services, so people do not need to bother registering and consulting doctors regarding health complaints they experience face to face.

2 Methodology

The research design used a quasi-experimental method with a control group to determine the cause and effect of Ayo Ceting application on several samples taken through the purposive sampling method [11].

The quasi-experimental method variables are divide into 2, namely the dependent/active variable (engineered / influencing variables) and the independent variable/attribute (variables are not engineer/influence). The dependent variable is ICT media, in this case, the Ayo Ceting application. The independent variable is the increase in community literacy.

In this study, Experimental units are ten women of childbearing age, ten pregnant women, and ten mothers of infants or toddlers in the working area of Andalas Healthcare, Padang City.

The research instrument is a question related to stunting being validity tested using the Pearson coefficient correlation and reliability testing using Cronbach's Alpha before pre-test and post-test intervention given later. The results analyzed using the normality test and the homogeneity test before the difference test given with the independent sample t-test. If a difference appears through a different test, the effectiveness analysis will run using N-Gain.

3 Finding and Discussion

The innovator of the Ayo Ceting application provides 30 questions regarding general stunting knowledge. Pearson correlation test uses to filter validity. Cronbach's alpha test uses to filter reliability. Both of the tests apply to 30 questions from the innovator. The result is 28 valid and reliable questions with a validity value of 0.951, as shown in fig 2.

Case Processing Summary			
		N	%
Cases	Valid	65	100.0
	Excluded ^a	0	0.0
	Total	65	100.0
a. Listwise deletion based on all variables in the procedure.			
Reliability Statistics			
Cronbach's Alpha		N of Items	
0.951		28	

Fig. 2. Cronbach's Alpha reliability test result.

A normalization test applies to 15 subjects in the control group and 15 subjects in the experimental group resulted in both groups categorize as shown in fig 3. Since 30 subjects participated in this research, which is lower than 50 samples, then the Shapiro-Wilk test is applied to both groups and results in both Sig. value is higher than 0,05 means both groups in the normal distribution.

Tests of Normality							
Kelompok Kelas		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Nilai Post Test	Kelas Kontrol	0.156	15	.200*	0.923	15	0.217
	Kelas Eksperimen	0.196	15	0.126	0.910	15	0.138
*. This is a lower bound of the true significance.							
a. Lilliefors Significance Correction							

Fig. 3. Shapiro-Wilk normality test result.

Afterward, the homogeneity test also applies to data to validate that we will be allowed to perform an independent T-test next. Both the control group and the experiment group results higher than 0,05. Therefore, data fulfill the homogeneity requirement as shown in fig 4 and allows for comparison.

Test of Homogeneity of Variance					
		Levene Statistic	df1	df2	Sig.
Nilai Post Test	Based on Mean	0.814	1	28	0.375
	Based on Median	0.696	1	28	0.411
	Based on Median and with adjusted df	0.696	1	26.758	0.411
	Based on trimmed mean	0.803	1	28	0.378

Fig. 4. Homogeneity test result.

As shown in fig 5, this research finds that the control group's mean value is 72.80. The experiment group's mean value is 84,53. The experiment groups mean higher than control groups, but we need to know if this difference between the two groups is significant by using an independent t-test.

Group Statistics					
Kelompok Kelas		N	Mean	Std. Deviation	Std. Error Mean
Nilai Post Test	Kelas Kontrol	15	72.80	9.704	2.506
	Kelas Eksperimen	15	84.53	8.262	2.133

Fig. 5. Group statistics from t-test result.

As shown in fig 6, from the previous, we find that data fulfill homogeneity condition, so that at this step, equal variance assumed will take into account for check of significance. Furthermore, we saw on the Sig (2-tailed) where the value is 0.001, and this value is lower than 0.025, so we find that the means from both groups are significant.

Independent Samples Test												
		Levene's Test for Equality of Variances			t-test for Equality of Means							
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference			
Nilai Post Test	Equal variances assumed	0.814	0.375	-3.566	28	0.001	-11.733	3.291	Lower	-18.474	Upper	-4.992
	Equal variances not assumed			-3.566	27.306	0.001	-11.733	3.291	Lower	-18.482	Upper	-4.985

Fig. 6. Independent Samples t-test result.

Finally, the N-gain test takes into account, and we find results as following. The control group effectivity is 51.2160%, but the experiment group effectivity is 80.0435%. Therefore, the control group falls into moderate, while the experiment group falls into high classification. To summarize, Ayo Ceting intervention as literacy media for stunting is very significant and very effective increasing public knowledge on stunting.

Descriptives						
Kelompok Kelas			Statistic		Std. Error	
N Gain Prosen	Kelas Kontrol	Mean	51.2160		5.48429	
		95% Confidence Interval for Mean		Lower Bound	39.4534	
				Upper Bound	62.9786	
		5% Trimmed Mean			51.3024	
		Median			56.2500	
		Variance			451.162	
		Std. Deviation			21.24057	
		Minimum			16.67	
		Maximum			84.21	
		Range			67.54	
	Interquartile Range			41.45		
	Skewness			-0.037	0.580	
	Kurtosis			-1.158	1.121	
	Kelas Eksperimen	Mean		80.0435		2.88818
		95% Confidence Interval for Mean		Lower Bound	73.8490	
				Upper Bound	86.2380	
		5% Trimmed Mean			80.1653	
		Median			85.7143	
		Variance			125.124	
		Std. Deviation			11.18588	
Minimum				63.16		
Maximum				94.74		
Range				31.58		
Interquartile Range			20.05			
Skewness			-0.398	0.580		
Kurtosis			-1.245	1.121		

Fig. 7. N-gain test result.

4 Conclusion

The mean of the control groups while compare to the experiment groups is significant using an independent T-test. N-Gain test result classified control group in moderate classification and experiment group in high classification. It means the intervention of Ayo Ceting application as stunting literacy media is very significant and very effective. It is consistent with previous research, which states that the intervention with augmented reality-based ICT media gives perfect results based on questionnaires given to respondents [7].

In addition to significant intervention of stunting knowledge in the working area of the Andalas Healthcare, the Ayo Ceting application also provides easy access to information anytime and anywhere according to their respective preferences. As reported by We are social, the Increasing use of smartphone devices also adding public opportunity to access information related to stunting through the Ayo Ceting application because this application utilizes an Android-based smartphone as an ICT media. Therefore Ayo Ceting becomes a promising instrument in a campaign using communication, information, and education material.

References

- [1] S. H. Waliulu and D. Ibrahim, "Pengaruh Edukasi Terhadap Tingkat Pengetahuan dan Upaya Pencegahan Stunting Anak Usia Balita," *Penelit. Kesehat. Suara Forikes*, vol. 9, no. 4, pp. 269–272, 2018.
- [2] M. Dewi and M. Aminah, "Pengaruh Edukasi Gizi terhadap Feeding Practice Ibu Balita Stunting Usia 6-24 Bulan (The Effect of Nutritional Knowledge on Feeding Practice of Mothers Having Stunting Toddler Aged 6-24 Months)," *Indones. J. Hum. Nutr.*, vol. 3, no. 1, pp. 1–8, 2016, doi: 10.21776/ub.ijhn.2016.003.suplemen.1.
- [3] **Report:** We Are Social and Hootsuite, "Digital DATA OVERVIEW 2019: Indonesia," *Glob. Digit. Insights*, p. 17, 2019.
- [4] I. Permana, "Inovasi Pelayanan Kesehatan Publik Berbasis E-Government (Studi Kasus: Inovasi Ayo Ceting Di Puskesmas Andalas)," vol. 4, no. 1, pp. 25–37, 2020, doi: 10.24036/jess/vol4-iss1.
- [5] TNP2K, "Strategi Nasional Percepatan Pencegahan Anak Kerdil (Stunting)," Jakarta, 2018.
- [6] B. Saleh, "Information and Communication Technology (ICT) Literacy of Community in Mamminasata Region," *J. Pekommas*, vol. 18, no. 3, pp. 151–160, 2015.
- [7] M. Nasrullah and M. N. Malik, "Pengembangan Teknologi Augmented Reality Sebagai Media Edukasi Masyarakat Terhadap Gizi Buruk," no. 2007, 2017.
- [8] I. S. Wahyurin, A. N. Aqmarina, H. A. Rahmah, A. U. Hasanah, and C. N. B. Silaen, "Pengaruh edukasi stunting menggunakan metode brainstorming dan audiovisual terhadap pengetahuan ibu dengan anak stunting," *Ilmu Gizi Indones.*, vol. 2, no. 2, p. 141, 2019, doi: 10.35842/ilgi.v2i2.111.
- [9] N. Fauziatin, A. Kartini, and S. . Nugraheni, "Pengaruh Pendidikan Kesehatan dengan Media Lembar Balik Tentang Pencegahan Stunting Pada Calon Pengantin," *VISIKES J. Kesehat. Masy.*, no. agustus, pp. 224–233, 2019.
- [10] Kemdikbud, "Materi Pendukung Literasi Digital," 2017.
- [11] D. Thomas, T. Donald, D. Hastjarjo, and C. Quasi-, "QUASI-EXPERIMENTATION: DESIGN & ANALYSIS ISSUES FOR FIELD SETTINGS," *Analysis*, no. 1979, pp. 1–15, 2008.