

Hybrid Machine Learning Techniques to detect Real Time Human Activity using UCI Dataset

Muhammad Arshad¹, Fawwad Hassan Jaskani^{2,*}, Muhammad Ayub Sabri¹, Fatima Ashraf¹, Muhammad Farhan³, Maria Sadiq³, Hammad Raza²

¹ Department of Computer Science & IT, Government College University, Faisalabad, Pakistan

² Department of Computer Systems Engineering, Islamia University of Bahawalpur, Pakistan

³ Department of Computer Science & IT, Islamia University of Bahawalpur, Pakistan

Abstract

The cell phone is assuming a crucial job in present day life. It offers types of assistance and applications, for example, location tracking, medical applications, and human activity examination. All android smartphones have motion sensors i.e. Accelerometer, gyroscope, in order to detect motion of a user in a very precise way. In early conditions, committed sensors were utilized for activity acknowledgment. Different techniques are developed for distinguishing normal or human activities scenes in the crowd by processing the video or an image. A novel KNN-SVM human activity detection method is proposed to detect human activities in the UCI dataset for complex multi-process physical activities. Model trained with machine learning algorithms to capture the temporal dependency, normal sequences with high dimension is uniformly utilized to train the model to discriminate each activity. In the classification process, 2 different efficient classifiers are applied to identify the types of human activities in the UCI dataset. Support Vector Machine and K-Nearest Neighbour are applied in the proposed method for the classification. The efficiency of each classifiers is about 85% to 87%. The classification efficiency is comparable with existing literature after applying the majority decision in these classification techniques.

Keywords: Machine Learning, KNN, SVM, Human Activity Recognition

Received on 03 May 2021, accepted on 26 May 2021, published on 26 May 2021

Copyright © 2021 Muhammad Arshad *et al.*, licensed to EAI. This is an open access article distributed under the terms of the [Creative Commons Attribution license](#), which permits unlimited use, distribution and reproduction in any medium so long as the original work is properly cited.

doi: 10.4108/_____

1. Introduction

Different techniques are developed for distinguishing normal or human activities scenes in the crowd by processing the video or an image. Human activity Recognition Activity (HAR) has been emerging as an area of great significance proving itself helpful in various applications. It is the problem of correctly classifying the smartphone sensor observation into distinct activities. The readings recorded by sensors are taken in three dimensions (x, y, and z). The HAR system can keep track of daily life human activities from simple to complex and thus render its services for different applications such as disease prevention, elderly monitoring, security, fall detection system and many more.

It is a challenging task as it has to deal with a large volume of dataset obtained at a high speed by smartphone sensors. The unavailability of an obvious and straight forward method to relate these observations to well-defined movements also makes it a more complex task.

This work is aimed at the Sensor based Human Activity Recognition for the recognition of six physical activities using smartphones. Smartphones, being ubiquitous, embedded with various sensors prove to be a feasible approach to collect inherent sequential characteristics of data. These sensors can be environmental sensors, inertia sensors and video sensors. This work focuses on real time classification of activities while employing machine learning algorithms. Smartphones based sensors can be efficiently used to identify human activities in real time because of possessing great computing ability and

*Corresponding author. Email: favadhassanjaskani@gmail.com

individual performing different activities is huge in size, where all the information can't be utilized all things considered, where the information must be part into pieces and handled.

The sliding window is utilized to part information into window of size N information for the framework to perceive the activity. The sliding window diminishes the stream rate and sends less information to the framework to perceive the activity performed by the person. As the sliding window parts the information into window size N, there is tremendous plausibility that the framework might not have adequate information for perceiving the activity. In such cases, window limit must be balanced and the procedure must be rehased with the new information.

K-Nearest Neighbour

K-Nearest Neighbour is a directed learning calculation which is champion among the most standard calculation for design recognition. K-Nearest Neighbour calculation uses neighbourhood characterization true to form expectation. The regular K-NN content arrangement calculation has three restrictions:

(a) Calculation eccentrics due to the utilization of all the planning tests for request

(b) The execution is solely dependent upon the readiness set.

(c) There is no weight qualification between tests. The precision of K-NN calculation can be degraded within the sight of commotion or improper highlights. In design recognition, K-NN is a strategy for masterminding objects dependent on closest preparing highlights in the component space [8], [13], [19]

Order and Regression Tree Classification and Regression Tree calculation characterizes an example as showed by social events of various models with near properties. During setting up, the arrangement data is continually disengaged into littler subsets.

Exactly when the divisions are done, the models are assembled according to their properties. Testing tests are then evaluated against explicit conditions in each centre point and caused all through the tree. Exactly when the model accomplishes a leaf centre point, it is then doled out the class to which the models in that centre point have a spot. Right now, equal tree with genuine conditions was used. Trucks are still under wide research and can be used as a free classifier or as a bit of greater algorithmic structures[12].

As our information assortment was acted in a controlled situation, our outcomes for complex activity recognition may be hopeful when contrasted with a true arrangement. Notwithstanding, it is the initial move towards perceiving such activities, all things considered, situations. These activities can be acted in different manners. For instance, eating activity can be involved eating a sandwich while strolling, standing or sitting, eating soup while sitting or eating something with a blade and a fork in various stances.

3. Methodology

The UCI HAR detection dataset is publicly freely available. It's a very large scale dataset, to evaluate our method. This dataset was collected on the cameras with a specific angle for different real world activities.

This dataset contains of long and raw surveillance videos which hold 6 different types of real-world human activities, contains:

- Walking Down Stairs
- Walking Upstairs
- Sitting
- Walking
- Lying
- Standing

Therefore, these activities are detected. The dataset was divided into four subsets, each video contains different clips [20]. The video segment is collected from the different scene and split into typically almost 2000 to 2500 frames of each video. The UCI HAR dataset contain 1900 clips, average frame is 7247 and the dataset length is 120 hours. The more details of the UCI HAR dataset are given in different activities. Performance parameters such as accuracy, sensitivity, specificity, and AUC are calculated for authentication of the proposed technique. The visual and parametric outcomes of the proposed technique are compared with the existing literature. The performance parameters of the proposed method are computed as follows:

$$\text{Specificity} = \frac{TN}{(TN+FP)} \quad (3.1)$$

$$\text{Accuracy} = \frac{(TP+TN)}{(TP+TN+FP+FN)} \quad (3.2)$$

$$\text{Sensitivity} = \frac{TP}{(TP+FN)} \quad (3.3)$$

$$\text{AUC} = \frac{\text{Sensitivity}+\text{Specificity}}{2} \quad (3.4)$$

The working flow of the proposed method using KNN, SVM and Hybrid Model is shown in Figure 2. The details of the block diagram are as follows:

The input sample is taken from the UCI human activity dataset.

These input datasets are pre-processed and trained using machine learning techniques:

The different existing classifiers (SVM, KNN and Hybrid Models) are compared with and test the best classifier for HAR detection.




Figure 2. Proposed Methodology for Machine Learning Algorithms

As shown in Figure the input sample is taken from the UCI human activity dataset. These input datasets are pre-processed and trained using machine learning techniques. The different existing classifiers (SVM, KNN and Hybrid Models) are compared with and test the best classifier for HAR detection by showing their model parameters.




Figure 3. Proposed Methodology for Android Application

Above figure shows the input data coming from sensors of android smartphone is pre-processed and filtered in order to segment the data into readable normalized form,

this data further compared with trained model of SVM, KNN and Hybrid Model in order to predict activity by each classifier, further the results of each testing sample on each classifier are compared to show performance parameters.

The UCI human activity dataset is used for testing and evaluation of the proposed methodology. The human activity dataset contains 6 different human activities. As we know that data is the combinations of frames, so we have converted the videos into frames for preprocessing and feature extraction.

Our proposed technique explains here based on the rule when an irregular event occurred. The maximum frames are different compared than activity frames. We trained the model which contains SVC and KNN Classifiers. The image description explains the visual feature of each video frame. The Model is trained properly with video blocks contains only Activities. We reduce the errors between the input and output volume of the frames. The model is trained correctly on the normal video frames, and then model shows the low reconstruction error. Each testing input video volume produces reconstruction error. The reconstruction error depends upon custom loss. We set the threshold on the value for each activity. If the value crossed a threshold limit, then shows another activity and below the threshold limit, it represents the other activity. Then our system able to recognize these activities events occurs.

Model Parameters

The training model is used for reducing the reconstruction error of the input volume. Our proposed model uses the learning rate automatically depends upon the updated history of the models weight. The minimum patch size is 64 and each training video volume is trained for a maximum 50 tests or pending the rebuilding loss of authentication data stop reducing after 10 consecutive tests.

Hybrid Model

A novel KNN-SVM human activity detection method is proposed to detect human activities in the UCI dataset for complex multi-process physical activities. Model is trained with multiple input parameters, to capture the temporal dependency, normal sequences with high dimension is uniformly utilized to train the model to discriminate each activity.




Figure 4. Hybrid Model of SVM – KNN

Figure shows our proposed frame work in which we have combined two supervised learning classifiers together. The main strategy to obtain better results is to combine them in such a way, we have applied SVM on training samples in order to obtain the support vectors to classify each activity in a given dataset of UCI. After taking testing samples we have found the average distance between each support vector in order to apply KNN by using distance method of Euclidian distance for classifying each testing sample into minimum average samples and then plot results.

In our proposed methodology we have applied SVM to find support vectors to make a decision boundary and hyperplane along classified data points after that we will find an average distance between each support vector to clustered the different activities by making the value of $k = 3$ in KNN classifier.

Classification Models

In the classification process, two different efficient classifiers are applied to identify the types of human activities in the UCI dataset. Support Vector Machine and K-Nearest Neighbour are applied in the proposed method for the classification. All classifiers give the results separately as human activities in the same case. But the final decision about the type of activity is taken by using metrics scheme. Classifiers give results, majority voting count all Six Outputs, the result is displayed as which one output is greater number. The majority Classifier answer is considered as a final answer in the classification portion. Classification is done by starting with the additional discriminating features and slowly adding less discriminating features. Classification of the types of activities gives better results with existing literature. The classification is done by different classifiers,

and some features are extracted from the input image. These features are then compared with the parameters of the standard classifier for comparison to finalize the detection. Different parameters for classification are homogeneous, contrast, correlation, mean, probability, etc. The efficiency of each classifiers is about 85% to 87%. The classification efficiency is comparable with existing literature after applying the majority decision in these classification techniques.

Support Vector Machine (SVM)

In SVM classification, original input UCI Human Activity are calculated into advanced dimensional features in which classifier gives the result of the type of human activities. Due to these properties, SVM classifiers incline to possess a dressed aptitude for the detection of the type of human activities. An SVM classifier gives good results for the type of human activities because some parameters in the classifier are lengthy calculated, critical and timely taking task in the classification. Classification is done by starting with the additional discriminating features and slowly adding less discriminating features. Features for classification of the human activities are homogeneous, contrast, correlation, mean and probability. SVM is a vector support machine, whose introduction is the milestone in machine learning. It belongs to the supervised classification class. The main advantages of SVM are mathematical tractability, high precision and direct decision on geometry. There are many SVMs, but the best is the SVM kernel. In the proposed model, we use the SVM kernel with two different parameters; linear and RBF. Traditional SVM uses the hyper plane to classify data. In the SVM kernel, the algorithm is almost the same, but each point produced between the vectors is replaced by the non-linear kernel function.[17].




Figure 5. Basic model for SVM in order to classify each activity in dataset

Figure shows the basic model adapted by us. Input from sensors taken, will filtered in to segmented data so that it can be extracted into features as well as well-trained so that to be tested on SVM in order to classify each activity with the help of support vectors.

K-Nearest Neighbours (KNN)

In K-NN classification, classifier works based on the neighbouring training samples in feature space. Some parameters give the information presents in the dataset frames for types of human activities. K-NN is one of the reliable classification algorithms and belongs to the supervised classification class. [19]




Figure 6. Proposed model for KNN in activity recognition

Figure shows the basic model adapted by us. Input from sensors taken, will be filtered in to segmented data so that it can be extracted into features as well as well-trained so that to be tested on KNN in order to classify each activity.

4. Results

This section delivers all results which are concluded as a result of our experiments. As in our methodology we have loaded the dataset (UCI_HAR), we have visualized the dataset, to find out any missing and duplicate values. All six activities are plotted in order to visualize and understand data in a better form.

Dataset Visualization




Figure 7. Histogram plot for the counts of occurring against each activity (Walking, Sitting, and Standing, Lying, Downstairs and Upstairs)

Detailed Exploratory Analysis

Based on the common nature of activities we can broadly put them in two categories Static and dynamic activities based on activities recorded by accelerometer from Mobil Android Applications SITTING, STANDING, LAYING can be considered as static activities with no motion involved WALKING, WALKING_DOWNSTAIRS, WALKING_UPSTAIRS can be considered as dynamic activities with significant amount of motion involved




Figure 8. Scatter plot of each activity against its point of occurrence

Dataset contains two sets: a) Training Data, b) Testing Data.

Next step is to find the Correlation/ Relationships between the features. Correlation refers to the mutual relationship and association between quantities and it is generally used to express one quantity in terms of its relationship with other quantities. The can either be Positive (variables change in the same direction), negative (variables change in opposite direction or neutral (No correlation).

Variable within a dataset can be related in lots of ways and for lots of reasons:

- They could depend on values of other variable
- They could be associated to each other
- They could both depend on a third variable.

In this project, we will be using the pandas method .CoRR () for calculating correlation between dataframe columns

Data Splitting

Data splitting is very necessary in order to train our algorithm to validate on testing data. In our case we have split the data in 80% training and 20% testing sets.

Predictive Modelling




Figure 9. Predictive model testing has been conducted w.r.t. each classifier at ratio of 80% to 20%

The figure depicted just above shows the accuracies of the three classifiers, SVM, KNN and Hybrid. 10 tests conducted on the testing dataset in order to validate results we have concluded that Hybrid classifier is slightly better than SVM and KNN on the basis of identifying the activities accurately.

For the better accuracy of KNN we have changed the value of n as 3, 4 and 5. For each value of k we have changed the distances as L1 Distance, Hamming Distance and Euclidean Distance as shown in below graph, accuracy changes.




Figure 10. Graph of KNN at different values of k having different distances

All activities are tested using each model in order to plot confusion matrix for each algorithm in order to defend our work and find accuracies as well. Performance parameters are also calculated as shown in below table.




Figure 11. Metrics (Accuracy, Precision, Recall and Fscore) of each classifier to identify the best between them

We have concluded that on average Hybrid classifier is better than SVM and KNN on the basis of the metrics depicted in figure below. Confusion matrix also plotted to show the number of tests and number of true positives, true negatives, false positives and false negatives in order to show the optimized power of our classifier.




Figure 12. Confusion matrix of activity recognition using Hybrid classifier at normalized values having ratio of 80:20.

Correctly classified activities concerning misclassified activities using the classifier are shown in these confusion matrices. The experiment shows the result of our proposed methodology.

Analysis of Hybrid Classifier

As hybrid classifier has shown best accuracy of testing and training in previous chapter we have plotted the accuracies of these classifiers where Hybrid Model has shown the best accuracy. Now we will also test our classifier on normalized data and non-normalized data.




Figure 13. 100 experiments conducted, 70 times our classifiers show best results plotted better accuracy for each activity




Figure 14. Training score (Number of training examples and its accuracy) vs Validation Score (Number of Testing examples having best accuracy)

Comparison with previous techniques

Besides our approach, authors in [2] used principal component analysis (PCA) for feature selection from fall detection datasets. This dataset contains 3 accelerometer

Axis as features. According to the authors, PCA selects optimal features from the feature matrix. PCA measures the importance of a feature based on variance. Feature having high variance are treated as principal components and low variance feature are considered as noise. In this study, we focus on daily life six activities. Applying PCA on our dataset provides the X-axis and Y-axis of the accelerometer as a principal component but provides an overall accuracy of 85.4% which is far less than our approach. The rationale behind this is that activities such as standing, sitting, walking and jogging can be recognized efficiently using x and y-axis but no other complex activities such as upstairs and downstairs. These activities are efficiently recognized with the accuracy of 87% using testing dataset and 100% with training dataset at ratio of 20% and 80% respectively.

Table 1. Comparison Results of different approaches

Research Paper	Approach	Accuracy
Paper [5]	Random Forests	78%
Paper [10]	SVM with PCA	85.4%
Paper [14]	CNN	82%
Our Approach	Hybrid Approach SVM-KNN	87%

The primary step in this research is human activities detection is a preprocessing which includes noise removing, image resizing, background subtraction and filtering process, etc. The second step is the feature and pattern extraction from the filtered data. Feature modelling is used to extract the features. The third step is extracted features and patterns are classified by using three classifiers such as SVM, KNN and Hybrid Classifier. Machine learning techniques has shown efficiency for human activities detection.

In this research, the figure depicted just above shows the accuracies of the three classifiers, SVM, KNN and Hybrid. 10 tests initially, conducted on the testing dataset in order to validate results we have concluded that Hybrid classifier is slightly better than SVM and KNN on the basis of identifying the activities accurately which can be much better after using optimizing techniques to train classifiers.

5. Conclusions

The detection of human activities is a very difficult task due to the variation of moving objects and bodies of different sizes. A novel KNN-SVM human activity detection method is proposed to detect human activities in the UCI dataset for complex multi-process physical activities. Model is trained with multiple input parameters, to capture the temporal dependency, normal sequences with high dimension is uniformly utilized to train the model to discriminate each activity. In the classification process, 2 different efficient classifiers are applied to identify the types of human activities in the UCI dataset. Support

Vector Machine and K-Nearest Neighbour are applied in the proposed method for the classification. All classifiers give the results separately as human activities in the same case. But the final decision about the type of activity is taken by using metrics scheme. Classifiers give results, majority voting count all Six Outputs, the result is displayed as which one output is greater number. These methods can be extended to deep learning approaches, as well as optimization techniques to show the tuning hyperparameters for better accuracies. The majority Classifier answer is considered as a final answer in the classification portion. Classification is done by starting with the additional discriminating features and slowly adding less discriminating features. Classification of the types of activities gives better results with existing literature. The classification is done by different classifiers, and some features are extracted from the input image. These features are then compared with the parameters of the standard classifier for comparison to finalize the detection. Different parameters for classification are homogeneous, contrast, correlation, mean, probability, etc. The efficiency of each classifiers is about 85% to 87%. The classification efficiency is comparable with existing literature after applying the majority decision in these classification techniques. Alternative use for this strategy will be using locomotive sensors. Using deep learning approaches with optimized techniques/ Stochastic approaches in order to predict the probability of each activity. Machine learning classifier with optimized techniques i.e. Particle Swarm Optimization and Convex Optimization Techniques

References

- [1] J. K. Dutta and B. Banerjee, "Online detection of abnormal events using incremental coding length," *Proc. Natl. Conf. Artif. Intell.*, vol. 5, pp. 3755–3761, 2015.
- [2] X. Hu, Y. Huang, Q. Duan, W. Ci, J. Dai, and H. Yang, "Abnormal event detection in crowded scenes using histogram of oriented contextual gradient descriptor," *EURASIP J. Adv. Signal Process.*, vol. 2018, no. 1, 2018, doi: 10.1186/s13634-018-0574-4.
- [3] D. Chakraborty, V. Narayanan, and A. Ghosh, "Integration of deep feature extraction and ensemble learning for outlier detection," *Pattern Recognit.*, vol. 89, pp. 161–171, 2019, doi: 10.1016/j.patcog.2019.01.002.
- [4] A. Nandy, J. Saha, C. Chowdhury, and K. P. D. Singh, "Detailed human activity recognition using wearable sensor and smartphones," *2019 Int. Conf. Opto-Electronics Appl. Opt. Optronix 2019*, pp. 1–6, 2019, doi: 10.1109/OPTRONIX.2019.8862427.
- [5] T. J. Chin, L. Wang, K. Schindler, and D. Suter, "Extrapolating learned manifolds for human activity recognition," *Proc. - Int. Conf. Image Process. ICIP*, vol. 1, pp. 381–384, 2006, doi: 10.1109/ICIP.2007.4378971.
- [6] A. Dargazany and M. Nicolescu, "Human body parts tracking using torso tracking: Applications to activity recognition," *Proc. 9th Int. Conf. Inf. Technol. ITNG 2012*, pp. 646–651, 2012, doi: 10.1109/ITNG.2012.132.
- [7] Z. Ding and W. Mo, "The activity fast recognition of human in occlusion and clusters," *Proc. - 2014 4th Int. Conf. Instrum. Meas. Comput. Commun. Control. IMCCC 2014*, pp. 559–563, 2014, doi: 10.1109/IMCCC.2014.120.
- [8] N. Golestani and M. Moghaddam, "Magnetic Induction-based Human Activity Recognition (MI-HAR)," no. Mi, pp. 17–18, 2019.
- [9] J. Mani et al., "Knockdown of BAG3 sensitizes bladder cancer cells to treatment with the BH3 mimetic ABT-737," *World J. Urol.*, vol. 34, no. 2, pp. 197–205, 2016, doi: 10.1007/s00345-015-1616-2.
- [10] Y. L. Hsu, S. L. Lin, P. H. Chou, H. C. Lai, H. C. Chang, and S. C. Yang, "Application of nonparametric weighted feature extraction for an inertial-signal-based human activity recognition system," *Proc. 2017 IEEE Int. Conf. Appl. Syst. Innov. Appl. Syst. Innov. Mod. Technol. ICASI 2017*, no. ATmega 328, pp. 1718–1720, 2017, doi: 10.1109/ICASI.2017.7988270.
- [11] K. K. Htike, O. O. Khalifa, H. A. M. Ramli, and M. A. M. Abushariah, "Human activity recognition for video surveillance using sequences of postures," *2014 3rd Int. Conf. e-Technologies Networks Dev. ICeND 2014*, pp. 79–82, 2014, doi: 10.1109/ICeND.2014.6991357.
- [12] H. Huang, X. Li, and Y. Sun, "A triboelectric motion sensor in wearable body sensor network for human activity recognition," *Proc. Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. EMBS*, vol. 2016-October, no. 906, pp. 4889–4892, 2016, doi: 10.1109/EMBC.2016.7591823.
- [13] M. Jethanandani, T. Perumal, and A. Sharma, "Random k-Labelsets method for human activity recognition with multi-sensor data in smart home," *2019 IEEE 16th India Counc. Int. Conf. INDICON 2019 - Symp. Proc.*, 2019, doi: 10.1109/INDICON47234.2019.9030296.
- [14] J. YANG, J. CHENG, and H. LU, "Human Activity Recognition Based On The Blob Features National Laboratory of Pattern Recognition , Institute of Automation , Chinese Academy of Sciences , Beijing , China 100190," *Icme 2009*, pp. 358–361, 2009.
- [15] J. H. Li, L. Tian, H. Wang, Y. An, K. Wang, and L. Yu, "Segmentation and Recognition of Basic and Transitional Activities for Continuous Physical Human Activity," *IEEE Access*, vol. 7, no. c, pp. 42565–42576, 2019, doi: 10.1109/ACCESS.2019.2905575.
- [16] "MULTI-VIEW HUMAN ACTIVITY RECOGNITION USING MOTION FREQUENCY Neslihan K ose Mohammadreza Babae Gerhard Rigoll," pp. 3963–3967, 2017.
- [17] F. Galip, M. H. Sharif, M. Caputcu, and S. Uyaver, "Recognition of Objects from Laser Scanned Data Points Using SVM," *Proc. - 2016 1st Int. Conf. Multimed. Image Process. ICMIP 2016*, pp. 28–35, 2016, doi: 10.1109/ICMIP.2016.19.
- [18] D. N. Tran and D. D. Phan, "Human Activities Recognition in Android Smartphone Using Support Vector Machine," *Proc. - Int. Conf. Intell. Syst. Model. Simulation, ISMS*, vol. 0, pp. 64–68, 2016, doi: 10.1109/ISMS.2016.51.
- [19] A. Unnikrishnan, F. Ajesh, and Reshma S. Nair, "Detection Of Abnormal Visual Events Using HOFO And KNN," vol. 2, no. 9, pp. 3196–3210, 2015.
- [20] V. Mahadevan, W. Li, V. Bhalodia, and N. Vasconcelos, "Anomaly detection in crowded scenes," *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, pp. 1975–1981, 2010, doi: 10.1109/CVPR.2010.5539872.