

- Classifier,” in *Procedia Computer Science*, Elsevier, 140(2018), pp. 104-111, DOI:10.1016/j.procs.2018.10.298.
- [13] Ole M. Brastein, Roland Olsson, Nils-Olav Skeie, Thomas Lindblad (2017), “Human Activity Recognition by Machine Learning Methods,” in *Norsk Informatikkonferanse*, Norway, 25, pp. 1-12.
- [14] Min-Cheol Kwon, Sunwoong Choi (2018), “Recognition of Daily Human Activity Using an Artificial Neural Network and Smart watch,” in *Journal of Wireless Communications and Mobile Computing*, 2018, pp. 1-9, DOI: 10.1155/2018/2618045.
- [15] Artur Jordao, Antonio C. Nazare Jr., Jessica Sena, William Robson Schwartz (2019), “Human Activity Recognition Based on Wearable Sensor Data: A Standardization of the State-of-the-Art,” in *Computer Vision and Pattern Recognition*, arXiv:1806.05226 .
- [16] Ku Nurhanim Ku Abd. Rahim, I. Elamvazuthi, Lila Iznita Izhar, Genci Capi (2018), “Classification of Human Daily Activities Using Ensemble Methods Based on Smartphone Inertial Sensors,” in *Sensors*, MDPI, 18(12):4132, pp. 1-19, DOI: 10.3390/s18124132.
- [17] Heeryon Cho ID and Sang Min Yoon (2018), “Divide and Conquer-Based 1D CNN Human Activity Recognition Using Test Data Sharpening,” in *Sensors*, MDPI, 18(4), pp. 1-24, DOI: 10.3390/s18041055.
- [18] Münzner S, Schmidt P, Reiss A, Hanselmann M, Stiefelhagen R, Dürichen R (2017) CNN-based Sensor Fusion Techniques for Multimodal Human Activity Recognition. In: *Proceedings of the 2017 ACM International Symposium on Wearable Computers*. ACM, Miami, USA, pp 158–165.
- [19] Nurhanim K, Elamvazuthi I, Izhar LI, Ganesan T (2017), “Classification of Human Activity based on Smartphone Inertial Sensor using Support Vector Machine,” in *IEEE 3rd International Symposium on Robotics and Manufacturing Automation (ROMA)*. IEEE, Kuala Lumpur, Malaysia, pp 1–5.
- [20] Luštrek M, Cvetkovic B, Mirchevska V, Kafalı Ö, Romero A, Stathis K (2015), “Recognising lifestyle activities of diabetic patients with a smart phone,” in *Proceedings of the 9th International Conference on Pervasive Computing Technologies for Healthcare*. IEEE, Istanbul, Turkey, pp 317–324.
- [21] Ole M. Brastein, Roland Olsson, Nils-Olav Skeie and Thomas Lindblad, Human Activity Recognition by machine learning methods, <https://ojs.bibsys.no/index.php/NIK/article/view/425>, (2017).
- [22] Amandeep Kaur, Sahil Sharma, Human Activity Recognition Using Ensemble Modelling, *SmartCom 2016*, CCIS 628, pp. 292–298, 2016, Springer Nature Singapore Pte Ltd., DOI: 10.1007/978-981-10-3433-6_35.
- [23] B Padmaja, V V Rama Prasad, K V N Sunitha (2019), “Distributed and Parallel Decision Forest for Human Activities Prediction: Experimental Analysis on HAR-Smartphones Dataset,” *Journal of Computer Science*, 15 (5), pp. 673-680, DOI: 10.3844/jcssp.2019.673.680.
- [24] B Padmaja, V V Rama Prasad, K V N Sunitha (2016), “TreeNet analysis of human stress behavior using socio-mobile data,” in *Journal of Big Data*, Springer, 3(24), 2016.
- [25] B Padmaja, Madhu Bala Myneni, E Krishna Rao Patro (2020), “A comparison on visual prediction models for MAMO (multi activity-multi object) recognition using deep learning,” in *Journal of Big Data*, Springer, 7(24), March 2020.