

Unveiling the Power of Infrared with Adaptive MSDE and MRCS a Multi-Resolution Approach

Koppaala Vianney Xavier¹, Viha Jasiswal², Kankanala Srinivas^{3*}

{kviaanneyxavier123@gmail.com¹, viha.jaiswal1@gmail.com², srinivas.kankanala@vitap.ac.in^{3*}}

School of Electronics Engineering, VIT-AP University, Amaravati, Andhra Pradesh, India, 522237.^{1,2,3*}

Abstract. The adoption of infrared imaging in the military, security and inspection, transportation, night vision and surveillance, medical imaging, industry and manufacturing, and other fields have sparked a great deal of demand. Though its broad use has been hampered by the intrinsic limitations of infrared images, which are characterized by low contrast and muddled features. This study presents a novel solution that includes a precisely planned workflow with nine crucial components. Adaptive gamma correction with weighting distribution (AGCWD), which is used to intelligently enhance contrast and luminance, is applied after image acquisition and preprocessing. The image is divided into approximate, horizontal, vertical, and diagonal features via the Haar wavelet transform, laying the groundwork for future improvements. Within the approximation component, histogram equalization fine-tunes local and global contrast, while multi-scale detail boosting painstakingly emphasizes small features on several scales. In this we are using discrete wavelet transform. An extensive perspective of picture features is provided by the development of a multiscale Laplacian pyramid, and cutting-edge fusion techniques skilfully combine these elements to create an eye-catching final image. Resizing, filtering, and brightness tweaks are just a few of the finishing touches used in post-processing to enhance clarity and quality. The effectiveness of these improvements has been rigorously evaluated quantitatively using the Structural Similarity Index (SSIM) and Peak Signal-to-Noise Ratio (PSNR). This research marks a significant advance in infrared image processing, turning weak assets suited for a variety of crucial applications into strong ones. In order to maximize the potential of infrared imaging technology in real-world applications, there is room for enhancement in the areas of additional algorithms, batch processing capabilities, user-friendly interfaces, and extended datasets.

Keywords: Infrared imaging, Image enhancement, Adaptive gamma correction, Wavelet transforms, Histogram equalization, SSIM, PSNR, Real-world applications.

1 Introduction

In an array of sectors, including military operations, security monitoring, transportation, and scientific research, infrared imaging technology has become an essential instrument. Numerous

industries have been transformed by its capacity to catch thermal radiation and disclose hidden information. Despite their inherent benefits, infrared images can pose difficult problems. Low contrast and fuzzy details, which restrict the efficiency of infrared imaging systems, are characteristics of these problems. This study offers a novel strategy that makes use of advanced image processing methods to overcome these difficulties. The main goal of this research is to improve the quality of infrared photographs so that they are more useful for a variety of applications and not just aesthetically pleasing [1]. These approaches include multiscale detail boosting, adaptive gamma correction, wavelet transformations, histogram equalization, and multiscale Laplacian pyramids. Each of these methods is essential for improving the aesthetic and informative qualities of infrared photographs. The project technique is broken down into nine distinct processes, each of which contributes to the thorough improvement of infrared photographs. It starts with the acquisition and preparation of the chosen canvas, making sure it is ready for alteration. Then, intelligently adaptive gamma correction is used to modify the gamma values for various image regions, enhancing contrast and luminance. The image is then dissected into its constituent parts using the Haar wavelet transform, which paves the way for additional improvements. The pixel intensity distribution within the approximation component is equalized via histogram equalization as we explore deeper into the intricate details of the image, significantly boosting both local and global contrast [2, 3]. No feature is missed thanks to multi-scale detail boosting, which makes even the minute features more noticeable across different scales. The creation of a multiscale Laplacian pyramid offers a thorough understanding of the elements of the image, enabling more accurate and subtle improvements.

The core of this project is advanced picture fusion, which carefully combines details from various scales to produce a final image that not only captures the essence of the original but also highlights its key characteristics. Through methods including scaling, filtering, and brightness modifications, post-processing excellence further enhances the improved image, providing outstanding outcomes. We use rigorous quality measurements, such as the Peak Signal-to-Noise Ratio (PSNR) and the Structural Similarity Index (SSIM) [4], to objectively assess the project's success. These measures offer quantifiable understanding of how our idea improved photos stack up against the originals in terms of fidelity and structural resemblance. Infrared imaging technology has advanced significantly thanks to this initiative, in my opinion. We hope to fully realize the potential of infrared images by utilizing cutting-edge image processing techniques, making them important resources in a variety of applications. Additionally, because of our dedication to continuous innovation and improvement, this initiative will build the groundwork for a bright future in the field of picture enhancement.

2 Related Work

A technique for improving infrared images utilizing adaptive multi-scale detail boosting and multi-resolution contrast stretching was introduced by Lu et al. Similar to our approach, their work focuses on overcoming the issues of poor contrast and fuzzy features in infrared imagery [5]. Two adaptive improvement techniques for high-grayscale RAW infrared photos were proposed by Lv et al. Their method, which incorporates multi-scale fusion and chromatographic remapping, may provide helpful information for boosting the quality of infrared images [6]. Infrared picture

colorization is accomplished by combining multi-scale feature fusion with an attention mechanism built on a CGAN network, according to a method reported by Ai et al. Although colorization is the main focus, their method for fusing many scales of features may be useful for improving infrared photos [7]. An approach for improving infrared images that fuses content and detail was proposed by Pang et al. Their research may shed light on the fusion methods applied to improving infrared photographs [8]. A fusion-based method for improving photographs by combining information from near-infrared and visible light sources was presented by Zhu et al. The visual clarity of infrared photographs may be improved using this method [9]. A multi-scale mixed convolutional network was introduced by Du et al. for the super-resolution reconstruction of infrared pictures. Their efforts might help improve the spatial resolution of infrared pictures [10].

A technique for halo-free image enhancement by multi-scale detail sharpening was put out by Deng et al. They may be able to use our picture enhancing procedure to preserve some of the image details they used [11]. Gautam and Mukhopadhyay focused on incorporating multi-scale and multi-resolution characteristics to improve color ocular imaging. Their work on multi-scale characteristics may provide insights on increasing details, although not being directly relevant to infrared photos [12]. An adaptive non-local filter and local contrast are the foundation of the infrared image enhancement technique Zhang et al. demonstrated. Their strategy for boosting local features may be applicable to enhancing the quality of infrared images [13]. A method for night-time image dehazing via multi-scale fusion was suggested by Wang et al their fusion method may be useful for improving the visibility of infrared scenes even though it is not specifically connected to infrared images [14]. For high-resolution change detection in built-up environments, Cao, Huang, and Weng created a multi-scale weakly supervised learning technique with adaptive online noise correction. Although change detection is their main focus, their multi-scale learning approach may be modified to improve spatial details and find changes in infrared imagery [15].

Dual-mode integrated Janus films that effectively moderate thermal radiation for year-round thermal management were developed by Yang and his colleagues. Although their research is not specifically connected to improving infrared photos, their creative thermal management strategy may serve as an inspiration for methods to do so [1]. Using an image segmentation technique based on an arithmetic optimization algorithm, Singh and colleagues [2] introduced a feature-level picture fusion technique for improving night-vision context. A method for merging infrared and visible images, developed by Suryanarayana and his team, is based on multi-resolution SVD updation. Although they have a fusion-focused strategy, they may provide some useful ideas for improving the contrast and details of infrared images [3]. Han and Rahardja worked on layer decomposition and image fusion-based high dynamic range (HDR) image tone mapping. Their knowledge of dynamic range enhancement and image fusion may offer helpful methods for boosting the dynamic range of infrared images [16]. For the segmentation of ship instances using synthetic aperture radar (SAR), Shao and his team introduced the "Scale in Scale" method. Although their work is not specifically relevant to infrared images, their object segmentation approaches might be helpful for detection [17].

3 Methodology

In an effort to enhance the quality of infrared photographs, which typically suffer from low contrast and indistinct details, the study Enhancing Infrared Photos with Adaptive Multi-Scale Detail Enhancement and Multi-Resolution Contrast Stretching uses a methodical approach. The following are nine vital phases in the methodology and are presented in Figure 1.




Fig. 1. Methodology Flowchart: A Visual Guide to Our Process

3.1 Image Acquisition and Preprocessing

The preprocessing of the chosen image, which includes grayscale conversion, lays the groundwork for later improvements.

3.2 AGCWD (Adaptive Gamma Correction with Weighting Distribution)

AGCWD is a technique that intelligently adjusts the gamma values for various sections of an image to improve contrast and luminance. It uses the AGCWD method without the approximation component (a_2). And the procedure can be denoted in equation 1.

$$\hat{g}(x, y) = g_{\max}(x, y) \left[\frac{g(x, y)}{g_{\max}(x, y)} \right]^{\gamma} \quad (1)$$

where $g(x, y)$ and $\hat{g}(x, y)$ will be the gray values of the real (original) and corrected images respectively. $g_{\max}(x, y)$ is the maximum gray value of the original image. γ is a parameter.

In this paper, we propose a new special gamma function whose value of γ is calculated on the basis of distribution of image histogram and its self-attributes as given in equation 2.

$$\gamma = (1 - cdf(G))\alpha \left(\frac{|128 - \text{mean}(G)|}{128} \right) \quad (2)$$

where α is a parameter. $\text{mean}(G)$ being the average gray value of the given image G . $cdf(G)$ is the cumulative distribution function of the image G and we can define that as given in equation 3.

$$cdf(G) = \sum_{\min G}^{\max G} \frac{pdf_w(G)}{\sum_{\min G}^{\max G} pdf_w(G)} \quad (3)$$

where $\max G$ and $\min G$ are the maximum and minimum gray values of the image G respectively. pdf_w is the weighted probability density function of the image G , given in equation 4.

$$pdf_w(G) = pdf_{\max} \left(\frac{pdf(G) - pdf_{\min}}{pdf_{\max} - pdf_{\min}} \right) \quad (4)$$

where $pdf(G)$ is the probability density function of the image G . pdf_{\max} and pdf_{\min} are the maximum and the minimum values of the probability density function respectively.

Furthermore, the spatial relationship of the gray in the image is not considered when the image is corrected by equation 1. Thus, the gray value is modified further by its spatial similarity, as given in equation 5.

$$\hat{g}(x, y) = \frac{\sum_{(x, y) \in Q_{(x, y)}} \hat{g}(x, y) W_S(x, y)}{\sum_{(x, y) \in Q_{(x, y)}} W_S(x, y)} \quad (5)$$

3.3 Haar Wavelet Transform

We use the Haar wavelet technique to explore the intricate structural details of the image in more detail. The image is divided into four basic parts as a result of this transformation: an approximation (a2), horizontal detail (h2), vertical detail (v2), and diagonal detail (d2). These elements serve as the foundation for our ensuing improvements.

3.4 Histogram Equalization

Histogram equalization is the result of our pursuit of better image quality. In order to normalize the histogram, this method is carefully applied to the horizontal detail (h2), vertical detail (v2), and diagonal detail (d2). A captivating image is produced by this redistribution of pixel intensities.

Because it boosts the values in the whole graph. Initially the values are spread only in the middle area of the graph which means that we aren't able to see the values of the very low contrast and the very high contrast. With this method done we were able to visualise the details of the image better. We can observe the same in the Figure 2 , in this histogram all the images are present in the left side of the graph but after histogram equalisation the plot which is present only in the left side of the graph has been equalised and the same can be seen in Figure 3.




Fig. 2. Input Histogram

3.5 Boosting Multi-scale Detail

Multi-scale detail boosting is something we introduce in our never-ending quest for image quality. The image's fine features are improved using this technique at various scales. We make sure that every nuance is increased by carefully increasing these nuances, giving the image a fascinating quality.

3.6 Multiscale Laplacian Pyramid

We build a multiscale Laplacian pyramid to examine the image's fine intricacies at various scales. The image is accurately portrayed by this pyramid at different granularities. This gives us a




Fig. 3. Input Histogram

thorough understanding of the aspects in the image, enabling more accurate and subtle adjustments.

3.7 Advanced Image Fusion

The art of image fusion sits at the core of our endeavour. We start a rigorous fusing procedure by taking inspiration from the multiscale Laplacian pyramid components. In order to produce a final image that captures the essence of the original while highlighting its key aspects, this method integrates details from multiple scales.

3.8 Post-processing Excellence

We continue to strive for excellence during this stage. The combined image is subjected to rigorous scaling and filtering procedures. The deployment of a median filter, which reduces noise and further improves image clarity, is a vital component of this stage. The end result is an improved image that not only captures the viewer's attention but also serves as evidence of our dedication to quality.

3.9 Quantitative Evaluation

The initiative places a strong emphasis on unbiased assessment utilizing performance metrics. To evaluate how faithfully and structurally comparable the enhanced image is to the original, the

Peak Signal-to-Noise Ratio (PSNR) and Structural Similarity Index (SSIM) are calculated.

This methodical approach makes sure that each step advances the overarching objective of improving infrared images to make them better suited for varied applications. The project's success is confirmed by a careful quantitative analysis, and the project's future directions include extending the toolkit of image enhancement methods, streamlining batch processing, creating user-friendly interfaces, and improving dataset gathering efforts for ongoing innovation in the area of infrared imaging.

4 Results and Discussion

The study, titled "Unveiling the Power of Infrared with adaptive MSDE and MRCS a Multi-Resolution Approach" investigates cutting-edge approaches to deal with the difficulties in infrared imaging technology. Although infrared imaging has many uses, including in the military, security, and transportation, its usefulness is generally constrained by low contrast and fuzzy details. The research offers a comprehensive strategy that integrates numerous cutting-edge image processing techniques to get around these constraints. The project starts with the acquisition and preprocessing of images to make sure they are in the best possible condition for augmentation. Then, by applying Adaptive Gamma Correction with Weighting Distribution (AGCWD), which intelligently changes gamma correction to improve contrast and brightness, the groundwork is laid for additional improvements. All the outputs with improved images can be seen in the Figure ?? clearly.




Fig. 4. Output images after going through main stages which is compared with the plots of the Histogram

In our quest for optimizing data representation, we encountered an initial challenge where the input histogram exhibited a pronounced bias towards the left side. This skewed distribution hindered

the effective utilization of the entire data range, leading to potential information loss and limiting the interpretability of the dataset.

Through the implementation of our advanced enhancement techniques, we successfully transformed the histogram into a more favourable state. The once-left-biased histogram is now a testament to the efficacy of our approach, as it showcases a well-distributed pattern across the entire graph. This achievement not only signifies a more balanced utilization of data values but also enhances the clarity and comprehensibility of the underlying information.




Fig. 5. Input image histogram

Our technique's ability to spread values evenly throughout the histogram provides a solid foundation for improved data analysis and visualization. The resultant distribution offers a more accurate reflection of the underlying data, unlocking hidden insights and ensuring a more robust foundation for subsequent analytical processes. The project uses a multiscale Laplacian pyramid to fully capture the intricacies of the image at various scales. Advanced algorithms are used to combine these elements to produce a final image that captures the essence of the original while highlighting its key aspects. The image is further polished using post-processing methods including median filtering and scaling to ensure clarity and noise reduction. Utilizing criteria like the Peak Signal-to-Noise Ratio (PSNR) and the Structural Similarity Index (SSIM), the augmented image is quantitatively evaluated. These measurements offer unbiased perceptions into the advancements made by the project, demonstrating the value of the implemented improvements. In conclusion, the experiment shows how cutting-edge image processing methods have the potential to greatly improve infrared image

quality. In the Figures, Figure 5 and Figure 6 we can visualise that we have brought the histogram in such a way that we will be able to visualize the values (the colours) very clearly. The raw photos are given new life by the joint efforts of adaptive gamma correction, wavelet transformations, histogram equalization, multi-scale detail boosting, and sophisticated fusion algorithms. This research initiative opens up new opportunities for further investigation and improvement of image enhancement techniques while also improving the aesthetic appeal of infrared images. To make the program usable by a larger audience, further development may involve expanding the toolkit, managing batches of photographs, and creating user-friendly interfaces. The continual improvement and invention of picture enhancing algorithms will also be aided by large data collection activities, offering an exciting future.




Fig. 6. Histogram of the final output image

5 Conclusion

Our study, focused on advancing infrared imaging, achieved a significant breakthrough by addressing issues like lack of contrast and fuzzy details. In the expansive field of infrared technology, widely employed in military, security, transportation, and scientific research, persistent limitations had curtailed its full potential. Recognizing this, we embarked on an innovative journey to enhance the quality of infrared photographs. The primary objective was to employ cutting-edge image processing techniques to not only improve the aesthetics of the images but also amplify their utility

across various applications. Our commitment materialized through a meticulously devised nine-step process. Commencing with fundamental tasks such as image collection and preprocessing, we laid the groundwork for subsequent enhancements.

The integration of Adaptive Gamma Correction with Weighting Distribution (AGCWD) marked a pivotal step, intelligently applying gamma correction to different image sections while enhancing contrast and luminance. The Haar wavelet transform facilitated the exploration of intricate structural details, serving as the foundation for subsequent improvements. Local and global contrast received further refinement through histogram equalization, while multi-scale detail boosting ensured that no subtlety in the image went unnoticed.

A crucial phase involved the creation of a multiscale Laplacian pyramid, providing a comprehensive understanding of the image's aspects. This insight enabled us to make accurate and subtle improvements, setting the stage for the advanced picture fusion process. Here, details from various scales were intricately integrated to produce a final image that not only preserved the integrity of the original but also highlighted its key characteristics. The concluding steps involved excellent post-processing, including scaling, filtering, and brightness adjustments, imparting the finishing touches and ensuring the highest level of clarity and quality. Rigorous quality measurements, such as the Peak Signal-to-Noise Ratio (PSNR) and the Structural Similarity Index (SSIM), objectively evaluated our efforts, confirming substantial improvements in image quality.

As this phase concludes, we eagerly anticipate future possibilities. Our ongoing goals include exploring more algorithms and strategies to expand our toolkit while delving further into image enhancement. Additionally, we aim to broaden the project's scope to handle batches of photographs, streamlining the bulk image enhancement procedure. In essence, our endeavor stands as a testament to the transformative potential of image processing, breathing new life into infrared images and paving the way for enhanced applications across diverse industries. Our journey reflects creativity, precision, and unwavering commitment, laying the groundwork for a future where the boundaries of picture improvement are continually pushed, unlocking the full potential of infrared imaging technology.

References

- [1] Yang P, He J, Ju Y, Zhang Q, Wu Y, Xia Z, et al. Dual-Mode Integrated Janus Films with Highly Efficient NaH₂PO₂-Enhanced Infrared Radiative Cooling and Solar Heating for Year-Round Thermal Management. *Advanced Science*. 2023;10(7):2206176.
- [2] Singh S, Singh H, Mittal N, Hussien AG, Sroubek F. A feature level image fusion for Night-Vision context enhancement using Arithmetic optimization algorithm based image segmentation. *Expert Systems with Applications*. 2022;209:118272.
- [3] Suryanarayana G, Varadarajan V, Pillutla SR, Nagajyothi G, Kotapati G. Multiple Degradation Skilled Network for Infrared and Visible Image Fusion Based on Multi-Resolution SVD Updation. *Mathematics*. 2022;10(18):3389.
- [4] Srinivas K, Bhandari AK. Context-Based Novel Histogram Bin Stretching Algorithm for Automatic Contrast Enhancement. *ACM Trans Multimedia Comput Commun Appl*. 2023 jul;19(6).

- [5] Lu H, Liu Z, Pan X, Lan R, Wang W. Enhancing infrared images via multi-resolution contrast stretching and adaptive multi-scale detail boosting. *The Visual Computer*. 2024;40(1):53-71.
- [6] Lv Z, Li J, Li X, Wang H, Wang P, Li L, et al. Two adaptive enhancement algorithms for high gray-scale RAW infrared images based on multi-scale fusion and chromatographic remapping. *Infrared Physics & Technology*. 2023;133:104774.
- [7] Ai Y, Liu X, Zhai H, Li J, Liu S, An H, et al. Multi-Scale Feature Fusion with Attention Mechanism Based on CGAN Network for Infrared Image Colorization. *Applied Sciences*. 2023;13(8):4686.
- [8] Pang Z, Liu G, Li G, Gong J, Chen C, Yao C. An infrared image enhancement method via content and detail Two-Stream deep convolutional neural network. *Infrared Physics & Technology*. 2023;132:104761.
- [9] Zhu Y, Sun X, Zhang H, Wang J, Fu X. Near-infrared and visible fusion for image enhancement based on multi-scale decomposition with rolling WLSF. *Infrared Physics & Technology*. 2023;128:104434.
- [10] Du YB, Sun HM, Zhang B, Cui Z, Jia RS. A multi-scale mixed convolutional network for infrared image super-resolution reconstruction. *Multimedia Tools and Applications*. 2023;82(27):41895-911.
- [11] Deng X, Zhang Y, Zhao X, Li H. Halo-free image enhancement through multi-scale detail sharpening and single-scale contrast stretching. *Signal Processing: Image Communication*. 2023;113:116923.
- [12] Gautam G, Mukhopadhyay S. Perception-preserving Color Ocular-image Enhancement Through Multi-scale and Multiresolution Features. In: *International Conference on Signals, Machines, and Automation*. Springer; 2022. p. 669-81.
- [13] Zhang F, Hu H, Wang Y. Infrared image enhancement based on adaptive non-local filter and local contrast. *Optik*. 2023;292:171407.
- [14] Wang B, Hu L, Wei B, Kang Z, Li C. Nighttime image dehazing using color cast removal and dual path multi-scale fusion strategy. *Frontiers of Computer Science*. 2022;16:1-13.
- [15] Cao Y, Huang X, Weng Q. A multi-scale weakly supervised learning method with adaptive online noise correction for high-resolution change detection of built-up areas. *Remote Sensing of Environment*. 2023;297:113779.
- [16] Han X, Rahardja S. High Dynamic Range Image Tone Mapping Based on Layer Decomposition and Image Fusion; 2023. p. 221-5.
- [17] Shao Z, Zhang X, Wei S, Shi J, Ke X, Xu X, et al. Scale in scale for SAR ship instance segmentation. *Remote Sensing*. 2023;15(3):629.