

- [15] E. Li, J. Femiani, S. Xu, X. Zhang and P. Wonka, "Robust Rooftop Extraction From Visible Band Images Using Higher Order CRF," in *IEEE Transactions on Geoscience and Remote Sensing*, vol. 53, no. 8, pp. 4483-4495, Aug. 2015, doi: 10.1109/TGRS.2015.2400462.
- [16] Lafferty J D. Conditional random fields: probabilistic models for segmenting and labeling sequence data[J]. /Proceedings of the Eighteenth International Conference on Machine Learning (ICML). San Francisco: Morgan Kaufmann Publishers: 282-289, 2001.
- [17] J. Zhao, Y. Zhong and L. Zhang, "Detail-Preserving Smoothing Classifier Based on Conditional Random Fields for High Spatial Resolution Remote Sensing Imagery," in *IEEE Transactions on Geoscience and Remote Sensing*, vol. 53, no. 5, pp. 2440-2452, May 2015, doi: 10.1109/TGRS.2014.2360100.
- [18] Xiaowei Wang, Shoulin Yin, Ke Sun, et al. GKFC-CNN: Modified Gaussian Kernel Fuzzy C-means and Convolutional Neural Network for Apple Segmentation and Recognition [J]. *Journal of Applied Science and Engineering*, vol. 23, no. 3, pp. 555-561, 2020.
- [19] K. Chen, K. Fu, X. Gao, M. Yan, X. Sun and H. Zhang, "Building extraction from remote sensing images with deep learning in a supervised manner," 2017 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), 2017, pp. 1672-1675, doi: 10.1109/IGARSS.2017.8127295.
- [20] Yongyang X, Liang W, Zhong X, et al. Building Extraction in Very High Resolution Remote Sensing Imagery Using Deep Learning and Guided Filters[J]. *Remote Sensing*, 2018, 10(1):144.
- [21] Huang J, Zhang X, Xin Q, et al. Automatic building extraction from high-resolution aerial images and LiDAR data using gated residual refinement network[J]. *ISPRS Journal of Photogrammetry and Remote Sensing*, 2019, 151(MAY):91-105.
- [22] Shrestha S, Vanneschi L. Improved Fully Convolutional Network with Conditional Random Fields for Building Extraction[J]. *Remote Sensing*, 2018, 10(7).
- [23] Sun J, Li W, Zhang Y, et al. Building segmentation of remote sensing images using deep neural networks and domain transform CRF[C]// *Image and Signal Processing for Remote Sensing XXV*. 2019.
- [24] Q. Li, Y. Shi, X. Huang and X. X. Zhu, "Building Footprint Generation by Integrating Convolution Neural Network With Feature Pairwise Conditional Random Field (FPCRF)," in *IEEE Transactions on Geoscience and Remote Sensing*, vol. 58, no. 11, pp. 7502-7519, Nov. 2020, doi: 10.1109/TGRS.2020.2973720.
- [25] Zhu Q Q, Li Z, Zhang Y N, et al. Global-Local-Aware conditional random fields based building extraction for high spatial resolution remote sensing images. *National Remote Sensing Bulletin*, 25(7): 1422-1433, 2021.
- [26] Fayao Liu, Guosheng Lin, Chunhua Shen. CRF learning with CNN features for image segmentation[J]. *Pattern Recognition*, 2015, 48(10):2983-2992.
- [27] Szummer M., Kohli P., Hoiem D. (2008) Learning CRFs Using Graph Cuts. In *ECCV 2008. Lecture Notes in Computer Science*, vol 5303. Springer, Berlin, Heidelberg. https://doi.org/10.1007/978-3-540-88688-4_43
- [28] L. Zhou, C. Zhang and M. Wu, "D-LinkNet: LinkNet with Pretrained Encoder and Dilated Convolution for High Resolution Satellite Imagery Road Extraction," 2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW), 2018, pp. 192-1924, doi: 10.1109/CVPRW.2018.00034.
- [29] A. Chaurasia and E. Culurciello, "LinkNet: Exploiting encoder representations for efficient semantic segmentation," 2017 IEEE Visual Communications and Image Processing (VCIP), 2017, pp. 1-4, doi: 10.1109/VCIP.2017.8305148.
- [30] Xiaowei Wang, Shoulin Yin, Desheng Liu, et al. Accurate playground localisation based on multi-feature extraction and cascade classifier in optical remote sensing images [J]. *International Journal of Image and Data Fusion*, vol. 11, no. 3, pp. 233-250, 2020.
- [31] Y. Boykov, O. Veksler and R. Zabih, "Fast approximate energy minimization via graph cuts," in *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 23, no. 11, pp. 1222-1239, Nov. 2001, doi: 10.1109/34.969114.
- [32] Ji S, Wei S, Lu M. A scale robust convolutional neural network for automatic building extraction from aerial and satellite imagery[J]. *International Journal of Remote Sensing*, 2018:1-15.
- [33] Shoulin Yin, Hang Li, Lin Teng, et al. An optimised multi-scale fusion method for airport detection in large-scale optical remote sensing images [J]. *International Journal of Image and Data Fusion*, vol. 11, no. 2, pp. 201-214, 2020. DOI: 10.1080/19479832.2020.1727573.
- [34] Shoulin Yin, Ye Zhang and Shahid Karim. Region search based on hybrid convolutional neural network in optical remote sensing images[J]. *International Journal of Distributed Sensor Networks*, Vol. 15, No. 5, 2019.
- [35] Shoulin Yin, Ye Zhang, Shahid Karim. Large Scale Remote Sensing Image Segmentation Based on Fuzzy Region Competition and Gaussian Mixture Model[J]. *IEEE Access*. volume 6, pp: 26069 - 26080, 2018.