































- for Smart Agriculture,” *IEEE Sens. J.*, vol. 21, no. 16, pp. 17430–17438, 2021, doi: 10.1109/JSEN.2020.3017695.
- [10] Y. Lu et al., “Data Collection Study Based on Spatio-Temporal Correlation in Event-Driven Sensor Networks,” *IEEE Access*, vol. 7, pp. 175857–175864, 2019, doi: 10.1109/ACCESS.2019.2957450.
- [11] P. Movva and P. T. Rao, “Novel Two-Fold Data Aggregation and MAC Scheduling to Support Energy Efficient Routing in Wireless Sensor Network,” *IEEE Access*, vol. 7, pp. 1260–1274, 2019, doi: 10.1109/ACCESS.2018.2888484.
- [12] M. Peng, S. Garg, X. Wang, A. Bradai, H. Lin, and M. S. Hossain, “Learning-Based IoT Data Aggregation for Disaster Scenarios,” *IEEE Access*, vol. 8, pp. 128490–128497, 2020, doi: 10.1109/ACCESS.2020.3008289.
- [13] V. J. Jariwala and D. C. Jinwala, *AdaptableSDA: secure data aggregation framework in wireless body area networks*. Elsevier Inc., 2020.
- [14] N. Yukinawa, S. Oba, K. Kato, and S. Ishii, “Optimal aggregation of binary classifiers for multiclass cancer diagnosis using gene expression profiles,” *IEEE/ACM Trans. Comput. Biol. Bioinforma.*, vol. 6, no. 2, pp. 333–343, 2009, doi: 10.1109/TCBB.2007.70239.
- [15] H. Zhang and Z. Li, “Energy-aware data gathering mechanism for mobile sink in wireless sensor networks using particle swarm optimization,” *IEEE Access*, vol. 8, pp. 177219–177227, 2020, doi: 10.1109/ACCESS.2020.3026113.
- [16] X. Hu, D. Dang, Y. Yao, and L. Ye, “Natural language aggregate query over RDF data,” *Inf. Sci. (Nij.)*, vol. 454–455, pp. 363–381, 2018, doi: 10.1016/j.ins.2018.04.042.
- [17] N. M. Durrani, N. Kafi, J. Shamsi, W. Haider, and A. M. Abbasi, “Secure multi-hop routing protocols in Wireless Sensor Networks: Requirements, challenges and solutions,” *8th Int. Conf. Digit. Inf. Manag. ICDIM 2013*, no. April 2015, pp. 41–48, 2013, doi: 10.1109/ICDIM.2013.6694001.
- [18] S. M. Murshed, A. M. Al-Hyari, J. Wendel, and L. Ansart, “Design and implementation of a 4D web application for analytical visualization of smart city applications,” *ISPRS Int. J. Geo-Information*, vol. 7, no. 7, 2018, doi: 10.3390/ijgi7070276.
- [19] U. M. Aivodji, S. Gams, and A. Martin, “IOTFLA: AA secured and privacy-preserving smart home architecture implementing federated learning,” *Proc. - 2019 IEEE Symp. Secur. Priv. Work. SPW 2019*, pp. 175–180, 2019, doi: 10.1109/SPW.2019.00041.
- [20] K. Kucuk, C. Bayilmis, A. F. Sonmez, and S. Kacar, “Crowd sensing aware disaster framework design with IoT technologies,” *J. Ambient Intell. Humaniz. Comput.*, vol. 11, no. 4, pp. 1709–1725, 2020, doi: 10.1007/s12652-019-01384-1.
- [21] Z. H. Wei and B. J. Hu, “A Fair Multi-Channel Assignment Algorithm with Practical Implementation in Distributed Cognitive Radio Networks,” *IEEE Access*, vol. 6, pp. 14255–14267, 2018, doi: 10.1109/ACCESS.2018.2808479.
- [22] L. Y. B et al., *Exploring graph mining approaches for dynamic heterogeneous networks*, vol. 1. Springer International Publishing, 2020.
- [23] Z. Sun et al., “An Energy-Efficient Cross-Layer-Sensing Clustering Method Based on Intelligent Fog Computing in WSNs,” *IEEE Access*, vol. 7, pp. 144165–144177, 2019, doi: 10.1109/ACCESS.2019.2944858.
- [24] S. Pervez and G. Alandjani, “Role of Internet of Things (IoT) in Higher Education,” *Proc. ADVED 2018- 4th Int. Conf. Adv. Educ. Soc. Sci.*, no. October, 2018.
- [25] K. Shafique, B. A. Khawaja, F. Sabir, S. Qazi, and M. Mustaqim, “Internet of things (IoT) for next-generation smart systems: A review of current challenges, future trends and prospects for emerging 5G-IoT Scenarios,” *IEEE Access*, vol. 8, pp. 23022–23040, 2020, doi: 10.1109/ACCESS.2020.2970118.
- [26] M. K. K. P. and M. S. M., “Energy Efficient Algorithms for Wireless Sensor Network,” *Ijarcece*, vol. 4, no. 1, pp. 342–346, 2015, doi: 10.17148/IJARCCCE.2015.4178.
- [27] M. Abdullah, A. Al-Thobaity, A. Bawazir, and N. Al-Harbe, “Energy Efficient Ensemble K-means and SVM for Wireless Sensor Network,” *Int. J. Comput. Technol.*, vol. 11, no. 9, pp. 3034–3042, 2013, doi: 10.24297/ijct.v11i9.3409.
- [28] Z. Ahmed, K. Mohamed, S. Zeeshan, and X. Q. Dong, “Artificial intelligence with multi-functional machine learning platform development for better healthcare and precision medicine,” *Database*, vol. 2020, 2020, doi: 10.1093/DATABASE/BAAA010.
- [29] G. Desolda, C. Ardito, M. F. Costabile, and M. Matera, “End-user composition of interactive applications through actionable UI components,” *J. Vis. Lang. Comput.*, vol. 42, pp. 46–59, 2017, doi: 10.1016/j.jvlc.2017.08.004.
- [30] M. R. Anawar, S. Wang, M. Azam Zia, A. K. Jadoon, U. Akram, and S. Raza, “Fog Computing: An Overview of Big IoT Data Analytics,” *Wirel. Commun. Mob. Comput.*, vol. 2018, 2018, doi: 10.1155/2018/7157192.
- [31] L. Li, L. Sun, Y. Xue, S. Li, X. Huang, and R. F. Mansour, “Fuzzy Multilevel Image Thresholding Based on Improved Coyote Optimization Algorithm,” *IEEE Access*, vol. 9, pp. 33595–33607, 2021, doi: 10.1109/ACCESS.2021.3060749.
- [32] T. K. Dao, J. Yu, T. T. Nguyen, and T. G. Ngo, “A Hybrid Improved MVO and FNN for Identifying Collected Data Failure in Cluster Heads in WSN,” *IEEE Access*, vol. 8, pp. 124311–124322, 2020, doi: 10.1109/ACCESS.2020.3005247.