















- [14] [14] C. Mulhern, S. Bialonski, and H. Kantz, Extreme events due to localization of energy, *Phys. Rev. E* 91, 012918 (2015).
- [15] [15] D. Qi and A. J. Majda, Predicting fat-tailed intermittent probability distributions in passive scalar turbulence with imperfect models through empirical information theory, *Commun. Math. Sci.* 14, 1687 (2016).
- [16] [16] M. A. Mohamad and T. P. Sapsis, Sequential sampling strategy for extreme event statistics in nonlinear dynamical systems, *Proc. Natl. Acad. Sci. USA* 115, 11138 (2018).
- [17] [17] C. T. Bolles, K. Speer, and M. N. J. Moore, Anomalous wave statistics induced by abrupt depth change, *Phys. Rev. Fluids* 4, 011801(R) (2019).
- [18] [18] S. Hallerberg, E. G. Altmann, D. Holstein, and H. Kantz, Precursors of extreme increments, *Phys. Rev. E* 75, 016706 (2007).
- [19] [19] R. V. Donner and S. M. Barbosa, Nonlinear time series analysis in the geosciences, *Lect. Notes Earth Sci.* 112, 37 (2008).
- [20] H. L. D. de S. Cavalcante, M. Oriá, D. Sornette, E. Ott, and D. J. Gauthier, Predictability and Suppression of Extreme Events in a Chaotic System, *Phys. Rev. Lett.* 111, 198701 (2013).